




# HP 62XL High Yield Black Original Ink Cartridge (C2P05AN)



## Overview

### HP 62XL Ink Cartridge, black

More than 50% of Original HP Ink Cartridges are made with recycled ocean-bound plastic.[10]

### Keep your printing needs covered

Represent your best work with Original HP inks—designed for consistent, standout results.

### The quality you need, at a great value

Avoid wasting money on problem prints. Original HP inks are designed to deliver pages you can use.

### Get your prints noticed

Make an impression with Original HP inks—designed to consistently deliver high-quality black text.

### Printing made easy

From high-capacity cartridges to multi-packs, HP has the right combination to fit your printing needs.

## Features



Designed to work the first time, every time<sup>[5]</sup>



Quality prints you can take pride in



The environmental choice.<sup>[6]</sup>



Better together. Better results.



Share your prints with pride.



Optional high-yield cartridges offer a better value<sup>[3]</sup>

---

*[3] Based on HP 62XL High Yield Black Original Ink Cartridge and HP 62XL High Yield Tri-color Original Ink Cartridges. For more information, see <http://www.hp.com/go/learnaboutsupplies>. High-yield cartridges not included; please purchase separately. Value compared with estimated street price and page yield of standard-yield HP 62 ink cartridges. Actual pricing may vary.*

*[5] See <http://www.hp.com/go/suppliesclaims>.*

*[6] HP Planet Partners program availability varies. For details, see <http://www.hp.com/recycle>. On recycled materials in cartridges, see <http://www.hp.com/go/recycledcontent>.*

## Specifications

<b>Ink types</b>	Pigment-based
<b>Color(s) of printing supplies</b>	Black
<b>Print Technology</b>	Ink
<b>Supply type</b>	Cartridges
<b>Ink drop</b>	12 pl
<b>Print head nozzles</b>	704
<b>Print cartridge volume delivered</b>	12 ml
<b>Operating temperature range</b>	15 to 32°C
<b>Storage temperature range</b>	-40 to 60°C
<b>Operating humidity range</b>	20 to 80% RH
<b>Non-Operating Humidity Range</b>	20 to 80% RH
<b>Print Resolution Technologies</b>	TIJ 4.X
<b>Compatibility</b>	HP Officejet 8040 with Neat® e-All-in-One, HP ENVY 8000 e-All-in-One, HP ENVY 7640 e-All-in-One, HP Officejet 5740 e-All-in-One, HP ENVY 5660 e-All-in-One, and HP ENVY 5640 e-All-in-One
<b>Product count per unit</b>	1
<b>Case or master carton quantity</b>	24
<b>Quantity per pallet</b>	3168
<b>Cartons per pallet</b>	132
<b>UPC number</b>	888182992289
<b>Pallet barcode</b>	(140) 40888182992287
<b>Minimum dimensions (W x D x H)</b>	114 x 36.3 x 102.9 mm
<b>Minimum dimensions (W x D x H)</b>	4.49 x 1.43 x 4.05 in
<b>Package dimensions (W x D x H)</b>	114 x 36.3 x 102.9 mm
<b>Package dimensions (W x D x H)</b>	4.49 x 1.43 x 4.05 in
<b>Case or master carton dimensions (W x D x H)</b>	357.2 x 138.1 x 169.9 mm
<b>Case dimensions (case or master carton)</b>	14.06 x 5.44 x 6.69 in
<b>Pallet dimensions (W x D x H)</b>	1219.2 x 1016 x 1168.4 mm
<b>Pallet dimensions</b>	48 x 40 x 46 in
<b>Case weight (case or master carton)</b>	1.86 kg
<b>Package weight</b>	~0.07 kg
<b>Package weight</b>	~0.15 lb

<b>Pallet weight</b>	266.14 kg
<b>Pallet weight</b>	586.2 lb
<b>Page Yield</b>	600
<b>Page yield (black and white)</b>	~600 pages
<b>What's in the box</b>	Ink cartridge
<b>Manufacturer Warranty</b>	HP's ink cartridges and printheads are warranted to be free from defects in materials and workmanship during the period of the warranty.

## Additional specifications

<b>Additional information about Eco</b>	<a href="http://www.hp.com/go/ecohighlights">http://www.hp.com/go/ecohighlights</a>
<b>Business Segment</b>	Premium Home
<b>Cartons per layer</b>	22
<b>Cartridge Colors</b>	Black
<b>Case weight (case or master carton, imperial)</b>	4.1 lb
<b>Compatibility 01</b>	HP ENVY 5540, 5542, 5545, 5640, 5642, 5643, 5660, 5661, 5663, 5665, 7640, 7644, 7645
<b>Compatibility 02</b>	HP OfficeJet 200, 250, 5740, 5741, 5742, 5743, 5744, 5745, 8040
<b>Compatibility headline</b>	HP 62 ink cartridges work with:
<b>Count of layers in pallet</b>	6
<b>Country of origin</b>	Made in China, Malaysia, Singapore
<b>Inner pack ITF-14 unit code</b>	(140) 20888182992283
<b>Operating temperature range</b>	59 to 90°F
<b>Package count</b>	1
<b>Page yield (black)</b>	1 Black (~600 pages)
<b>Page yield footnote</b>	Tested in HP Envy 5640 e-All-in-One. Approximate average based on ISO/IEC 24711 or HP testing methodology and continuous printing. Actual yield varies considerably based on content of printed pages and other factors. For details see <a href="http://www.hp.com/go/learnaboutsupplies">http://www.hp.com/go/learnaboutsupplies</a> .
<b>Print technology</b>	HP Thermal Inkjet
<b>Printhead swath (inch)</b>	0.5625 in
<b>Product subgroup</b>	High Capacity Ink Cartridges
<b>Quantity per box</b>	4
<b>Segment (filter)</b>	Premium Home
<b>Selectability</b>	62XL
<b>Smaller master carton barcode</b>	(140) 10888182992286
<b>Stacking number for pallet</b>	2
<b>Storage temperature range</b>	-40 to 140°F
<b>Subgroup</b>	High Capacity Cartridges
<b>UNSPSC code</b>	44103105

## Warranty

HP's ink cartridges and printheads are warranted to be free from defects in materials and workmanship during the period of the warranty. This warranty pertains to the product when used in its designated HP or authorized OEM printing device. HP will, at HP's option, either refund the purchase price or replace products that prove to be defective. Visit the HP online support web site <http://www.hp.com/support> for a list of support phone numbers and conditions or return to your point of purchase.

---

## Disclaimer — Copyright

© Copyright 2022 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Generated by Dynamic Collateral Tool – (us-en) – Nov 08, 2022 6:38 PM UTC+0000