




HP 305A 4-pack Black/Cyan/Magenta/Yellow Original LaserJet Toner Cartridges (CE305AQ1)



Overview

HP 305A LaserJet Toner Cartridge 4-pack, black (2,090 pages), cyan/magenta/yellow (2,600 pages)[2]

As you print more, you save more without sacrificing the reliable, trouble-free printing of Original HP. New HP Color LaserJet 4-packs—designed for higher-volume, photo-quality business printing—are a convenient, high-value option.

Easy and convenient. Saves time and money.

HP helps lower the cost of Original HP cartridges with an option for higher-volume color printing.

Consistent results, real value.

To ensure brilliant color and consistency, the HP printing system is tuned to HP ColorSphere toner.

High-impact, brilliant color.

High gloss enables a dynamic range of bright colors—HP ColorSphere toner.

Features



Designed to work the first time, every time^[5]



Quality prints you can take pride in



The environmental choice.^[6]



Better together. Better results.



Vibrant colors in graphics and images



High yield toner cartridges

[2] Approximate average black yield based on ISO/IEC 19798. Approximate average composite cyan, yellow, magenta yield based on ISO/IEC 19798. Actual yield varies considerably based on content of printed pages and other factors. For details see <http://www.hp.com/go/learnaboutsupplies>.

[5] See <http://www.hp.com/go/suppliesclaims>.

[6] HP Planet Partners Program availability varies. For details, see <http://www.hp.com/recycle>. On recycled materials in cartridges, see <http://www.hp.com/go/recycledcontent>.

Specifications

Color(s) of printing supplies	Black, cyan, magenta, yellow
Print Technology	Laser
Supply type	Cartridges
Operating temperature range	15 to 25°C
Storage temperature range	-20 to 40°C
Operating humidity range	20 to 80% RH
Non-Operating Humidity Range	10 to 90% RH
Print Resolution Technologies	Smart
Printing Material Shelf Life	Not applicable
Compatibility	HP LaserJet Pro M351, M375, M451, M475
Product count per unit	4
Quantity per pallet	48
Cartons per pallet	48
UPC number	194441726176
Minimum dimensions (W x D x H)	397 x 234.95 x 258.06 mm
Minimum dimensions (W x D x H)	15.63 x 9.25 x 10.16 in
Package dimensions (W x D x H)	397 x 234.95 x 258.06 mm
Package dimensions (W x D x H)	15.63 x 9.25 x 10.16 in
Pallet dimensions (W x D x H)	1191.26 x 939.8 x 1176.02 mm
Pallet dimensions	46.9 x 37 x 46.3 in
Package weight	~3.89 kg
Package weight	~8.58 lb
Pallet weight	207.29 kg
Pallet weight	457 lb
Page Yield	2600
Page yield (combo-pack)	Per cartridge: 2,090 pages black, 2,600 pages cyan, 2,600 pages magenta, 2,600 pages yellow
What's in the box	4 toner cartridges; Recycling guide
Manufacturer Warranty	HP's Premium Protection Warranty. This HP product is warranted to be free from defects in materials and workmanship.

Additional specifications

Cartons per layer	12
Cartridge Colors	Black; Cyan; Magenta; Yellow
Compatibility headline	HP 305 toner cartridges work with:
Count of layers in pallet	4
Country of origin	Made in China, Japan, United States
Operating temperature range	59 to 77°F
Package count	4
Page yield (black)	1 Black (~2,600 pages)
Page yield (cyan)	1 Cyan (~2,600 pages)
Page yield (magenta)	1 Magenta (~2,600 pages)
Page yield (yellow)	1 Yellow (~2,600 pages)
Page yield footnote	Approximate average black yield based on ISO/IEC 19798. Approximate average composite cyan, yellow, magenta yield based on ISO/IEC 19798. Actual yield varies considerably based on content of printed pages and other factors. For details see http://www.hp.com/go/learnaboutsupplies .
Photo (product photo, jpg, 190x170)	Ink Toner Paper Printer Supplies/HP-305-LaserJet-Printing-Supplies_190x170.jpg
Photo (product photo, jpg, 400x400)	Ink Toner Paper Printer Supplies/HP-305-LaserJet-Printing-Supplies_400x400.jpg
Photo (product photo, jpg, 70x100)	Ink Toner Paper Printer Supplies/HP-305-LaserJet-Printing-Supplies_70x100.jpg
Print technology	Laser
Product subgroup	Multi-packs
Recycled material content	17%
Segment (filter)	Traditional HP Toners
Selectability	305A
Storage temperature range	-4 to 104°F
Sub-brand name	LaserJet
Subgroup	Standard Capacity Cartridges
UNSPSC code	44103103

Warranty

HP's Premium Protection Warranty. This HP product is warranted to be free from defects in materials and workmanship. This warranty does not apply to print cartridges that (a) have been refilled, refurbished, remanufactured or tampered with in any way, (b) experience problems resulting from misuse, improper storage, or operation outside of the published environmental specifications for the printer product or (c) exhibit wear from ordinary use. To obtain warranty service, please return the product to place of purchase (with a written description of the problem and print samples) or contact HP customer support. At HP's option, HP will either replace products that prove to be defective or refund your purchase price. TO THE EXTENT ALLOWED BY LOCAL LAW, THE ABOVE WARRANTY IS EXCLUSIVE AND NO OTHER WARRANTY OR CONDITION, WHETHER WRITTEN OR ORAL, IS EXPRESSED OR IMPLIED AND HP SPECIFICALLY DISCLAIMS ANY IMPLIED WARRANTIES OR CONDITIONS OF MERCHANTABILITY, SATISFACTORY QUALITY, AND FITNESS FOR A PARTICULAR PURPOSE. TO THE EXTENT ALLOWED BY LOCAL LAW, IN NO EVENT WILL HP OR ITS SUPPLIERS BE LIABLE FOR DIRECT, SPECIAL, INCIDENTAL, CONSEQUENTIAL (INCLUDING LOST PROFIT OR DATA), OR OTHER DAMAGE, WHETHER BASED IN CONTRACT, TORT, OR OTHERWISE. THE WARRANTY TERMS CONTAINED IN THIS STATEMENT, EXCEPT TO THE EXTENT LAWFULLY PERMITTED, DO NOT EXCLUDE, RESTRICT OR MODIFY AND ARE IN ADDITION TO THE MANDATORY STATUTORY RIGHTS APPLICABLE TO THE SALE OF THIS PRODUCT TO YOU.

Weight

~6.33 lb

Weight

~2.88 kg

Disclaimer — Copyright

© Copyright 2022 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Generated by Dynamic Collateral Tool – (us-en) – Nov 08, 2022 3:36 PM UTC+0000