




HP 26X 2-pack High Yield Black Original LaserJet Toner Cartridges (CF226XD)



Overview

HP 26X LaserJet Toner Cartridge 2-pack, black, 9,000 pages per cartridge[4]

Original HP Toner cartridges with JetIntelligence help you get the most out of your printer—professional documents you can proud of, more pages at fast speeds,[1,2] and anti-fraud technology.

Quality pages—and value

Manage your investment. Page maximizer technology delivers more pages per cartridge.[1]

Help protect against fraud and maintain quality

Help ensure you're getting the authentic HP quality you paid for with innovative anti-fraud technology.

Print at high speeds—without sacrificing quality

Relish consistent quality at high speeds with Original HP Toner cartridges with JetIntelligence.

Help protect your investment

Precision black toner helps your business look sharp by producing crisp, black text and professional-quality graphics.

Features



Designed to work the first time, every time^[6]



Quality prints you can take pride in



The environmental choice.^[7]



Better together. Better results.



Page maximizer^[1]

[1] LaserJet Original Toner cartridges with JetIntelligence released after 2015. Highest capacity cartridges compared to predecessor highest capacity toner cartridges. For more information, see <http://www.hp.com/go/learnaboutsupplies>.

[2] HP 26X High Yield Black Original LaserJet Toner Cartridges are not included in printer purchase; Please purchase separately. Learn more at <http://www.hp.com/go/learnaboutsupplies>.

[4] Approximate average yield based on ISO/IEC 19752. Actual yield varies considerably based on content of printed pages and other factors. For details, see <http://www.hp.com/go/learnaboutsupplies>.

[6] See <http://www.hp.com/go/suppliesclaims>.

[7] HP Planet Partners program availability varies. For details, see <http://www.hp.com/recycle>. On recycled materials in cartridges, see <http://www.hp.com/go/recycledcontent>.

Specifications

Color(s) of printing supplies	Black
Print Technology	Laser
Supply type	Cartridges
Operating temperature range	10 to 32.5°C
Storage temperature range	-20 to 40°C
Operating humidity range	20 to 80% RH
Non-Operating Humidity Range	10 to 90% RH
Print Resolution Technologies	JetIntelligence
Compatibility	HP LaserJet Pro M402 series, HP LaserJet Pro MFP M426 series
Product count per unit	2
Quantity per pallet	70
Quantity per European pallet	44
Cartons per pallet	70
UPC number	190780576106
Minimum dimensions (W x D x H)	362 x 204 x 227 mm
Minimum dimensions (W x D x H)	14.25 x 8.03 x 8.94 in
Package dimensions (W x D x H)	362 x 204 x 227 mm
Package dimensions (W x D x H)	14.25 x 8.03 x 8.94 in
Pallet dimensions (W x D x H)	1098 x 986 x 1279 mm
Pallet dimensions	43.2 x 38.8 x 50.4 in
Package weight	~2.7 kg
Package weight	~5.94 lb
Pallet weight	209.5 kg
Pallet weight	460.8 lb
Page Yield	9000
Page yield (black and white)	Per cartridge: 9,000 pages
What's in the box	2 toner cartridges; Recycling guide
Manufacturer Warranty	HP's Premium Protection Warranty. This HP product is warranted to be free from defects in materials and workmanship.

Additional specifications

Cartons per layer	14
Cartridge Colors	Black
Compatibility 01	HP LaserJet Pro M402, M426
Compatibility headline	HP 26 toner cartridges work with:
Count of layers in pallet	5
Country of origin	Made in Japan
European pallet dimensions (W x D x H)	1098 x 780 x 1057 mm
Master or single cartons per layer (European pallet)	11
Operating temperature range	50 to 90.5°F
Package count	2
Page yield (black)	2 Black (~18,000 pages)
Page yield footnote	Approximate average yield based on ISO/IEC 19752. Actual yield varies considerably based on content of printed pages and other factors. For details, see http://www.hp.com/go/learnaboutsupplies .
Pallet weight	139 kg
Photo (product photo, jpg, 190x170)	Accessories/HP-26-LaserJet-Toner-CartridgesCF226X_190x170.jpg
Photo (product photo, jpg, 70x100)	Accessories/HP-26-LaserJet-Toner-CartridgesCF226X_70x100.jpg
Print technology	Laser
Product subgroup	Multi-packs
Segment (filter)	JetIntelligence
Selectability	26X
Stacking number for carton	20
Storage temperature range	-4 to 104°F
Subgroup	High Capacity Cartridges
UNSPSC code	44103103

Warranty

HP's Premium Protection Warranty. This HP product is warranted to be free from defects in materials and workmanship. This warranty does not apply to print cartridges that (a) have been refilled, refurbished, remanufactured or tampered with in any way, (b) experience problems resulting from misuse, improper storage, or operation outside of the published environmental specifications for the printer product or (c) exhibit wear from ordinary use. To obtain warranty service, please return the product to place of purchase (with a written description of the problem and print samples) or contact HP customer support. At HP's option, HP will either replace products that prove to be defective or refund your purchase price. TO THE EXTENT ALLOWED BY LOCAL LAW, THE ABOVE WARRANTY IS EXCLUSIVE AND NO OTHER WARRANTY OR CONDITION, WHETHER WRITTEN OR ORAL, IS EXPRESSED OR IMPLIED AND HP SPECIFICALLY DISCLAIMS ANY IMPLIED WARRANTIES OR CONDITIONS OF MERCHANTABILITY, SATISFACTORY QUALITY, AND FITNESS FOR A PARTICULAR PURPOSE. TO THE EXTENT ALLOWED BY LOCAL LAW, IN NO EVENT WILL HP OR ITS SUPPLIERS BE LIABLE FOR DIRECT, SPECIAL, INCIDENTAL, CONSEQUENTIAL (INCLUDING LOST PROFIT OR DATA), OR OTHER DAMAGE, WHETHER BASED IN CONTRACT, TORT, OR OTHERWISE. THE WARRANTY TERMS CONTAINED IN THIS STATEMENT, EXCEPT TO THE EXTENT LAWFULLY PERMITTED, DO NOT EXCLUDE, RESTRICT OR MODIFY AND ARE IN ADDITION TO THE MANDATORY STATUTORY RIGHTS APPLICABLE TO THE SALE OF THIS PRODUCT TO YOU.

Weight	~4.27 lb
Weight	~1.94 kg

Disclaimer — Copyright

© Copyright 2022 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Generated by Dynamic Collateral Tool – (us-en) – Nov 08, 2022 3:35 PM UTC+0000