



HP 58A Black Original LaserJet Toner Cartridge (CF258A)

Overview



HP 58A LaserJet Toner Cartridge, black, 3,000 pages[8]

Original HP Toner cartridges with JetIntelligence deliver professional-quality pages, high-yield options,[2] peak printing performance, and innovative HP anti-fraud technology. Help reduce costs with energy-saving HP EcoSmart black toner.[3]

Cost-efficient and geared to office productivity

Print crisp black text and use less energy when printing with Original HP EcoSmart black toner.[2]

Back to business with easy cartridge replacement

Plan ahead—use HP Web Jetadmin to track toner usage and receive regular supplies updates.[4]

Peak printing performance for quality documents

Print black text and graphics with HP EcoSmart black toner,[2] designed to deliver exceptional print quality.

Free and convenient recycling

Original HP cartridges returned through HP Planet Partners are never sent to a landfill. [6]

Features



Designed to work the first time, every time^[10]



Quality prints you can take pride in



The environmental choice.^[11]



Better together. Better results.



Help save energy when printing with HP EcoSmart black toner^[2]



Black text and graphics that stand out

[2] HP calculations based on ENERGY STAR® normalized TEC data comparing HP LaserJet 200-500 series printers. See hp.com/ecosmart

[3] High-yield cartridges are not included in printer purchase; purchase separately. HP 58X High Yield Original LaserJet Toner Cartridge compared to HP 58A. Learn more at <http://www.hp.com/go/learnaboutsupplies>.

[4] Refer to your device data sheet and HP Web Jetadmin supported feature list for details.

[6] HP Planet Partners Program availability varies. For more information, visit <http://www.hp.com/recycle>.

[8] Approximate average yield based on ISO/IEC 19752. Actual yield varies considerably based on content of printed pages and other factors. For details, see <http://www.hp.com/go/learnaboutsupplies>.

[10] See <http://www.hp.com/go/suppliesclaims>.

[11] HP Planet Partners program availability varies. For details, see <http://www.hp.com/recycle>. On recycled materials in cartridges, see <http://www.hp.com/go/recycledcontent>.

Specifications

Color(s) of printing supplies	Black
Print Technology	Laser
Supply type	Cartridges
Operating temperature range	10 to 32.5°C
Storage temperature range	-20 to 40°C
Operating humidity range	20 to 80% RH
Non-Operating Humidity Range	10 to 90% RH
Print Resolution Technologies	JetIntelligence
Compatibility	HP LaserJet Pro M404 Printer series, HP LaserJet Pro M428 Printer series
Product count per unit	1
Quantity per pallet	135
Cartons per pallet	135
UPC number	192018046757
Minimum dimensions (W x D x H)	362 x 102 x 198 mm
Minimum dimensions (W x D x H)	14.25 x 4.02 x 7.8 in
Package dimensions (W x D x H)	362 x 102 x 198 mm
Package dimensions (W x D x H)	14.25 x 4.02 x 7.8 in
Pallet dimensions (W x D x H)	1098 x 942 x 1134 mm
Pallet dimensions	43.2 x 37.1 x 44.6 in
Package weight	~1.07 kg
Package weight	~2.35 lb
Pallet weight	165 kg
Pallet weight	363 lb
Page Yield	3000
Page yield (black and white)	~3,000 pages
What's in the box	Toner cartridge; Recycling guide
Manufacturer Warranty	HP's Premium Protection Warranty. This HP product is warranted to be free from defects in materials and workmanship.

Additional specifications

Cartons per layer	27
Cartridge Colors	Black
Compatibility 01	HP LaserJet Enterprise M406, M430
Compatibility 02	HP LaserJet Pro M404, M428
Compatibility headline	HP 58 toner cartridges work with:
Count of layers in pallet	5
Country of origin	Made in Japan
Operating temperature range	50 to 90.5°F
Package count	1
Page yield (black)	1 Black (~3,000 pages)
Page yield footnote	Approximate average yield based on ISO/IEC 19752. Actual yield varies considerably based on content of printed pages and other factors. For details, see http://www.hp.com/go/learnaboutsupplies .
Print technology	Laser
Product subgroup	Standard Capacity Toner Cartridges
Segment (filter)	JetIntelligence
Selectability	58A
Stacking number for carton	20
Storage temperature range	-4 to 104°F
Subgroup	Standard Capacity Cartridges
UNSPSC code	44103103

Warranty

HP's Premium Protection Warranty. This HP product is warranted to be free from defects in materials and workmanship. This warranty does not apply to print cartridges that (a) have been refilled, refurbished, remanufactured or tampered with in any way, (b) experience problems resulting from misuse, improper storage, or operation outside of the published environmental specifications for the printer product or (c) exhibit wear from ordinary use. To obtain warranty service, please return the product to place of purchase (with a written description of the problem and print samples) or contact HP customer support. At HP's option, HP will either replace products that prove to be defective or refund your purchase price. TO THE EXTENT ALLOWED BY LOCAL LAW, THE ABOVE WARRANTY IS EXCLUSIVE AND NO OTHER WARRANTY OR CONDITION, WHETHER WRITTEN OR ORAL, IS EXPRESSED OR IMPLIED AND HP SPECIFICALLY DISCLAIMS ANY IMPLIED WARRANTIES OR CONDITIONS OF MERCHANTABILITY, SATISFACTORY QUALITY, AND FITNESS FOR A PARTICULAR PURPOSE. TO THE EXTENT ALLOWED BY LOCAL LAW, IN NO EVENT WILL HP OR ITS SUPPLIERS BE LIABLE FOR DIRECT, SPECIAL, INCIDENTAL, CONSEQUENTIAL (INCLUDING LOST PROFIT OR DATA), OR OTHER DAMAGE, WHETHER BASED IN CONTRACT, TORT, OR OTHERWISE. THE WARRANTY TERMS CONTAINED IN THIS STATEMENT, EXCEPT TO THE EXTENT LAWFULLY PERMITTED, DO NOT EXCLUDE, RESTRICT OR MODIFY AND ARE IN ADDITION TO THE MANDATORY STATUTORY RIGHTS APPLICABLE TO THE SALE OF THIS PRODUCT TO YOU.

Weight	~1.58 lb
Weight	~0.72 kg

Disclaimer — Copyright

© Copyright 2022 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Generated by Dynamic Collateral Tool – (us-en) – Nov 08, 2022 6:47 PM UTC+0000