




HP 201A Yellow Original LaserJet Toner Cartridge (CF402A)

Overview

HP 201A LaserJet Toner Cartridge, yellow, 1,330 pages[4]



Count on Original HP Toner cartridges with JetIntelligence for professional-quality, more pages with affordable high-yield options, excellent performance at high speeds, and innovative anti-fraud protection—technology unique to HP.[2]

Get more value from your cartridge

Get more from your investment with page maximizer technology that enables more pages per cartridge than previous versions of HP toner cartridges.[2]

Print at high speeds—without sacrificing quality

Continue to count on consistent, professional quality at high speeds with HP ColorSphere 3 toner.

Help protect against fraud

Help ensure you're getting the authentic HP quality you paid for with innovative, anti-fraud technology.

Help protect your investment

Continue to count on professional quality at high speeds—print after print—with HP ColorSphere 3 toner.

Features



Designed to work the first time, every time^[6]



Quality prints you can take pride in



The environmental choice.^[7]



Better together. Better results.



Affordable^{[1][2]}



Dependably track toner levels^[3]

[1] HP 201X high-yield cartridges are not included in printer purchase; purchase separately. For more information, see <http://www.hp.com/go/learnaboutsupplies>.

[2] Based on cartridge yields for HP 131A compared with HP 201X Original HP Toner Cartridges. For more information, see <http://www.hp.com/go/learnaboutsupplies>.

[3] As compared with cartridge gauges for predecessor products.

[4] Approximate average composite cyan, yellow, magenta yield based on ISO/IEC 19798. Actual yield varies considerably based on content of printed pages and other factors. For details see <http://www.hp.com/go/learnaboutsupplies>.

[6] See <http://www.hp.com/go/suppliesclaims>.

[7] HP Planet Partners Program availability varies. For details, see <http://www.hp.com/recycle>. On recycled materials in cartridges, see <http://www.hp.com/go/recycledcontent>.

Specifications

Color(s) of printing supplies	Yellow
Print Technology	Laser
Supply type	Cartridges
Operating temperature range	15 to 30°C
Storage temperature range	-20 to 40°C
Operating humidity range	10 to 80% RH
Non-Operating Humidity Range	10 to 95% RH
Print Resolution Technologies	JetIntelligence
Compatibility	HP Color LaserJet Pro M252 Printer series, HP Color Laserjet Pro MFP M277 series
Product count per unit	1
Quantity per pallet	300
Quantity per European pallet	216
Cartons per pallet	300
UPC number	888793237960
Minimum dimensions (W x D x H)	363 x 96 x 111 mm
Minimum dimensions (W x D x H)	14.29 x 3.78 x 4.37 in
Package dimensions (W x D x H)	363 x 96 x 111 mm
Package dimensions (W x D x H)	14.29 x 3.78 x 4.37 in
Pallet dimensions (W x D x H)	1100 x 986 x 1254 mm
Pallet dimensions	43.3 x 38.8 x 49.4 in
Package weight	~0.75 kg
Package weight	~1.65 lb
Pallet weight	245.5 kg
Pallet weight	540 lb
Page Yield	1330
What's in the box	Toner cartridge; Recycling guide
Manufacturer Warranty	HP's Premium Protection Warranty. This HP product is warranted to be free from defects in materials and workmanship.

Additional specifications

Additional information about Eco	http://www.hp.com/go/ecosolutions
Cartons per layer	30
Cartridge Colors	Yellow
Compatibility 01	HP LaserJet Pro M277
Compatibility headline	HP 201 toner cartridges work with:
Count of layers in pallet	10
Country of origin	Made in Japan
European pallet dimensions (W x D x H)	1100 x 790 x 1148 mm
Master or single cartons per layer (European pallet)	24
Operating temperature range	59 to 86°F
Package count	1
Page yield (color)	~1,330 pages
Page yield (yellow)	1 Yellow (~1,330 pages)
Page yield footnote	Approximate average composite cyan, yellow, magenta yield based on ISO/IEC 19798. Actual yield varies considerably based on content of printed pages and other factors. For details see http://www.hp.com/go/learnaboutsupplies .
Pallet weight	182.5 kg
Print technology	Laser
Product subgroup	Standard Capacity Toner Cartridges
Segment (filter)	JetIntelligence
Selectability	201A
Stacking number for carton	40
Storage temperature range	-4 to 104°F
Subgroup	Standard Capacity Cartridges
UNSPSC code	44103103

Warranty

HP's Premium Protection Warranty. This HP product is warranted to be free from defects in materials and workmanship. This warranty does not apply to print cartridges that (a) have been refilled, refurbished, remanufactured or tampered with in any way, (b) experience problems resulting from misuse, improper storage, or operation outside of the published environmental specifications for the printer product or (c) exhibit wear from ordinary use. To obtain warranty service, please return the product to place of purchase (with a written description of the problem and print samples) or contact HP customer support. At HP's option, HP will either replace products that prove to be defective or refund your purchase price. TO THE EXTENT ALLOWED BY LOCAL LAW, THE ABOVE WARRANTY IS EXCLUSIVE AND NO OTHER WARRANTY OR CONDITION, WHETHER WRITTEN OR ORAL, IS EXPRESSED OR IMPLIED AND HP SPECIFICALLY DISCLAIMS ANY IMPLIED WARRANTIES OR CONDITIONS OF MERCHANTABILITY, SATISFACTORY QUALITY, AND FITNESS FOR A PARTICULAR PURPOSE. TO THE EXTENT ALLOWED BY LOCAL LAW, IN NO EVENT WILL HP OR ITS SUPPLIERS BE LIABLE FOR DIRECT, SPECIAL, INCIDENTAL, CONSEQUENTIAL (INCLUDING LOST PROFIT OR DATA), OR OTHER DAMAGE, WHETHER BASED IN CONTRACT, TORT, OR OTHERWISE. THE WARRANTY TERMS CONTAINED IN THIS STATEMENT, EXCEPT TO THE EXTENT LAWFULLY PERMITTED, DO NOT EXCLUDE, RESTRICT OR MODIFY AND ARE IN ADDITION TO THE MANDATORY STATUTORY RIGHTS APPLICABLE TO THE SALE OF THIS PRODUCT TO YOU.

Weight	~1.17 lb
Weight	~0.55 kg

Disclaimer — Copyright

© Copyright 2022 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Generated by Dynamic Collateral Tool – (us-en) – Nov 07, 2022 3:11 PM UTC+0000