

Overview

HP 410A LaserJet Toner Cartridge 4-pack, black/cyan/magenta/yellow, 2,300 pages per cartridge[4]

Count on Original HP Toner cartridges with JetIntelligence to deliver high quality at fast speeds, plus affordable high-yield options[2] and anti-fraud technology to ensure consistent HP quality—something the competition can't match.

More value than ever[1]

Print for longer than before and get more pages with optional high-yield cartridges.[1] [2]

Print at high speeds—without sacrificing quality

Continue to count on professional quality at high speeds with HP ColorSphere 3 toner.

Help protect against fraud and maintain quality

Help ensure you're getting the authentic HP quality you paid for with innovative antifraud technology.

Help protect your investment

Continue to count on professional quality at high speeds—print after print—with HP ColorSphere 3 toner.

Features



[1] HP LaserJet Original Toner Cartridges with JetIntelligence released after 2015. Highest capacity cartridges compared to predecessor highest capacity toner cartridges. For more information, see http://www.hp.com/go/learnaboutsupplies.

[2] HP 410X High Yield Black/Cyan/Yellow/Magenta Original LaserJet Toner cartridges are not included in printer purchase; purchase separately. Learn more at http://www.hp.com/go/learnaboutsupplies.

[4] Approximate average composite cyan, yellow, magenta yield based on ISO/IEC 19798. Actual yield varies considerably based on content of printed pages and other factors. For details, see http://www.hp.com/go/learnaboutsupplies.

[6] See http://www.hp.com/go/suppliesclaims.

[7] HP Planet Partners Program availability varies. For details, see http://www.hp.com/recycle. On recycled materials in cartridges, see http://www.hp.com/go/recycledcontent.

Specifications

Color(s) of printing supplies	Black, cyan, magenta, yellow
Print Technology	Laser
Supply type	Cartridges
Operating temperature range	10 to 32.5℃
Storage temperature range	-20 to 40°C
Operating humidity range	20 to 80% RH
Non-Operating Humidity Range	10 to 80% RH
Print Resolution Technologies	JetIntelligence
Compatibility	HP Color LaserJet Pro M452 Printer series, HP Color LaserJet Pro MFP M477 series
Product count per unit	4
Quantity per pallet	54
Cartons per pallet	54
UPC number	193808475153
Minimum dimensions (W \times D \times H)	363 x 410 x 125 mm
Minimum dimensions (W \times D \times H)	14.29 x 16.14 x 4.92 in
Package dimensions (W x D x H)	363 x 410 x 125 mm
Package dimensions (W x D x H)	14.29 x 16.14 x 4.92 in
Pallet dimensions (W \times D \times H)	1095 x 824 x 1269 mm
Pallet dimensions	43.1 x 32.4 x 50 in
Package weight	~3.51 kg
Package weight	~7.72 lb
Pallet weight	210 kg
Pallet weight	462 lb
Page Yield	2300
Page yield (combo-pack)	Per cartridge: ~2,300 pages black, ~2,300 pages cyan, ~2,300 pages magenta, ~2,300 pages yellow
What's in the box	4 toner cartridges; Recycling guide
Manufacturer Warranty	HP's Premium Protection Warranty. This HP product is warranted to be free from defects in materials and workmanship.

Additional specifications

Cartons per layer	6
Cartridge Colors	Black; Cyan; Magenta; Yellow
Compatibility 01	HP LaserJet Pro M377, M452, M477
Compatibility headline	HP 410 toner cartridges work with:
Count of layers in pallet	9
Country of origin	Made in Japan
Operating temperature range	50 to 90.5°F
Package count	4
Page yield (black)	1 Black (~2,300 pages)
Page yield (cyan)	1 Cyan (~2,300 pages)
Page yield (magenta)	1 Magenta (~2,300 pages)
Page yield (yellow)	1 Yellow (~2,300 pages)
Page yield footnote	Approximate average black yield based on ISO/IEC 19798. Approximate average composite cyan, yellow, magenta yield based on ISO/IEC 19798. Actual yield varies considerably based on content of printed pages and other factors. For details, see http://www.hp.com/go/learnaboutsupplies.
Photo (product photo, jpg, 190x170)	supplies/CF410A_190x170.jpg
Photo (product photo, jpg, 70x100)	supplies/CF410A_70x100.jpg
Print technology	Laser
Product subgroup	Multi-packs
Segment (filter)	JetIntelligence
Selectability	410A
Stacking number for carton	36
Storage temperature range	-4 to 104°F
Subgroup	Standard Capacity Cartridges
UNSPSC code	44103103

HP's Premium Protection Warranty. This HP product is warranted to be free from defects in materials and workmanship. This warranty does not apply to print cartridges that (a) have been refilled, refurbished, remanufactured or tampered with in any way, (b) experience problems resulting from misuse, improper storage, or operation outside of the published environmental specifications for the printer product or (c) exhibit wear from ordinary use. To obtain warranty service, please return the product to place of purchase (with a written description of the problem and print samples) or contact HP customer support. At HP's option, HP will either replace products that prove to be defective or refund your purchase price. TO THE EXTENT ALLOWED BY LOCAL LAW. THE ABOVE WARRANT Y IS EXCLUSIVE AND NO OTHER WARRANTY OR CONDITION. WHETHER WRITTEN OR ORAL. IS EXPRESSED OR IMPLIED AND HP SPECIFICALLY DISCLAIMS ANY IMPLIED WARRANTIES OR CONDITIONS OF MERCHANTABILITY, SATISFACTORY QUALITY, AND FITNESS FOR A PARTICULAR PURPOSE. TO THE EXTENT ALLOWED BY LOCAL LAW, IN NO EVENT WILL HP OR ITS SUPPLIERS BE LIABLE FOR DIRECT, SPECIAL, INCIDENTAL. CONSEQUENTIAL (INCLUDING LOST PROFIT OR DATA), OR OTHER DAMAGE, WHETHER BASED IN CONTRACT, TORT, OR OTHERWISE. THE WARRANTY TERMS CONTAINED IN THIS STATEMENT, EXCEPT TO THE

EXTENT LAWFULLY PERMITTED, DO NOT EXCLUDE, RESTRICT OR MODIFY

AND ARE IN ADDITION TO THE MANDATORY STATUTORY RIGHTS

APPLICABLE TO THE SALE OF THIS PRODUCT TO YOU.

Warranty

Weight

Weight ~5.37 lb

Disclaimer — Copyright

© Copyright 2022 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

~2.44 kg

Generated by Dynamic Collateral Tool - (us-en) - Nov 08, 2022 6:54 PM UTC+0000