




HP 202X 3-pack High Yield Cyan/Magenta/Yellow Original LaserJet Toner Cartridges (CF500XM)

Overview



HP 202X 3-pack LaserJet Toner Cartridges, cyan/magenta/yellow, 2,500 pages per cartridge [4]

Print all your business documents quickly and efficiently and match the performance of your HP Color LaserJet Pro with Original HP Toner cartridges with JetIntelligence. Rely on HP quality and reliability for impressive printing results.

More pages—and more value—than ever[2]

Print for longer and get more pages with optional high-yield cartridges.[1,2]

Print at high speeds—without sacrificing quality

Continue to count on consistent, professional quality at high speeds with HP ColorSphere 3 toner.

Help protect against fraud

Help ensure that you're getting the authentic HP quality you paid for with innovative anti-fraud technology.

Help protect your investment

Continue to count on professional quality at high speeds—print after print—with HP ColorSphere 3 toner.

Features



Designed to work the first time, every time^[6]



Quality prints you can take pride in



The environmental choice.^[7]



Better together. Better results.



Optional high yield cartridges available^[1,2]



Dependably track toner levels^[3]

[1] HP high-yield toner cartridges are not included in printer purchase; purchase separately. For more information, see <http://www.hp.com/go/learnaboutsupplies>.

[2] Based on cartridge yields for HP 202X compared with HP 201X Original HP toner cartridges. For more information, see <http://www.hp.com/go/learnaboutsupplies>.

[3] As compared with cartridge gauges for predecessor products.

[4] Approximate average composite cyan, yellow, magenta yield based on ISO/IEC 19798. Actual yield varies considerably based on content of printed pages and other factors. For details, see <http://www.hp.com/go/learnaboutsupplies>.

[6] See <http://www.hp.com/go/suppliesclaims>.

[7] HP Planet Partners Program availability varies. For details, see <http://www.hp.com/recycle>. On recycled materials in cartridges, see <http://www.hp.com/go/recycledcontent>.

Specifications

Color(s) of printing supplies	Cyan, magenta, yellow
Print Technology	Laser
Supply type	Cartridges
Operating temperature range	15 to 30°C
Storage temperature range	-20 to 40°C
Operating humidity range	10 to 80% RH
Non-Operating Humidity Range	10 to 90% RH
Print Resolution Technologies	JetIntelligence
Compatibility	HP Color LaserJet Pro M254 Printer series, HP Color LaserJet Pro MFP M280 Printer series
Product count per unit	3
Quantity per pallet	100
Cartons per pallet	100
UPC number	193808475122
Minimum dimensions (W x D x H)	363 x 288 x 111 mm
Minimum dimensions (W x D x H)	14.29 x 11.34 x 4.37 in
Package dimensions (W x D x H)	363 x 288 x 111 mm
Package dimensions (W x D x H)	14.29 x 11.34 x 4.37 in
Pallet dimensions (W x D x H)	1166 x 950 x 1254 mm
Pallet dimensions	45.9 x 37.4 x 49.4 in
Package weight	~2.25 kg
Package weight	~4.95 lb
Pallet weight	246 kg
Pallet weight	540 lb
Page Yield	2500
What's in the box	3 toner cartridges; Recycling guide
Manufacturer Warranty	HP's Premium Protection Warranty. This HP product is warranted to be free from defects in materials and workmanship.

Additional specifications

Cartons per layer	10
Cartridge Colors	Cyan; Magenta; Yellow
Compatibility 01	HP LaserJet Pro M254, M281
Compatibility headline	HP 202 toner cartridges work with:
Count of layers in pallet	10
Country of origin	Made in Japan
Operating temperature range	59 to 86°F
Package count	3
Page yield (color)	Per cartridge: 2,500 pages cyan, 2,500 pages magenta, 2,500 pages yellow
Page yield (cyan)	1 Cyan (~2,500 pages)
Page yield (magenta)	1 Magenta (~2,500 pages)
Page yield (yellow)	1 Yellow (~2,500 pages)
Page yield footnote	Approximate average composite cyan, yellow, magenta yield based on ISO/IEC 19798. Actual yield varies considerably based on content of printed pages and other factors. For details, see http://www.hp.com/go/learnaboutesupplies .
Print technology	Laser
Product subgroup	Multi-packs
Segment (filter)	JetIntelligence
Selectability	202X
Stacking number for carton	40
Storage temperature range	-4 to 104°F
Subgroup	High Capacity Cartridges
UNSPSC code	44103103

Warranty

HP's Premium Protection Warranty. This HP product is warranted to be free from defects in materials and workmanship. This warranty does not apply to print cartridges that (a) have been refilled, refurbished, remanufactured or tampered with in any way, (b) experience problems resulting from misuse, improper storage, or operation outside of the published environmental specifications for the printer product or (c) exhibit wear from ordinary use. To obtain warranty service, please return the product to place of purchase (with a written description of the problem and print samples) or contact HP customer support. At HP's option, HP will either replace products that prove to be defective or refund your purchase price. TO THE EXTENT ALLOWED BY LOCAL LAW, THE ABOVE WARRANTY IS EXCLUSIVE AND NO OTHER WARRANTY OR CONDITION, WHETHER WRITTEN OR ORAL, IS EXPRESSED OR IMPLIED AND HP SPECIFICALLY DISCLAIMS ANY IMPLIED WARRANTIES OR CONDITIONS OF MERCHANTABILITY, SATISFACTORY QUALITY, AND FITNESS FOR A PARTICULAR PURPOSE. TO THE EXTENT ALLOWED BY LOCAL LAW, IN NO EVENT WILL HP OR ITS SUPPLIERS BE LIABLE FOR DIRECT, SPECIAL, INCIDENTAL, CONSEQUENTIAL (INCLUDING LOST PROFIT OR DATA), OR OTHER DAMAGE, WHETHER BASED IN CONTRACT, TORT, OR OTHERWISE. THE WARRANTY TERMS CONTAINED IN THIS STATEMENT, EXCEPT TO THE EXTENT LAWFULLY PERMITTED, DO NOT EXCLUDE, RESTRICT OR MODIFY AND ARE IN ADDITION TO THE MANDATORY STATUTORY RIGHTS APPLICABLE TO THE SALE OF THIS PRODUCT TO YOU.

Weight	~3.5 lb
Weight	~1.59 kg

Disclaimer — Copyright

© Copyright 2022 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Generated by Dynamic Collateral Tool – (us-en) – Nov 07, 2022 3:17 PM UTC+0000