



# HP 204A Yellow Original LaserJet Toner Cartridge (CF512A)

## Overview

HP 204A LaserJet Toner Cartridge, yellow, 900 pages.[2]



Print all your business documents quickly and efficiently and match the performance of your HP Color LaserJet Pro with Original HP Toner cartridges with JetIntelligence. Rely on HP quality and reliability for impressive printing results.

### Affordable

Start printing and help stay within your budget at a low purchase price with Original HP toner cartridges.

### Print at high speeds—without sacrificing quality

Continue to count on consistent, professional quality at high speeds with HP ColorSphere 3 toner.

### Help protect against fraud

Help ensure that you're getting the authentic HP quality you paid for with innovative anti-fraud technology.

### Help protect your investment

Continue to count on professional quality at high speeds—print after print—with HP ColorSphere 3 toner.

## Features



Designed to work the first time, every time<sup>[3]</sup>



Quality prints you can take pride in



The environmental choice.<sup>[4]</sup>



Better together. Better results.



Affordable



Dependably track toner levels<sup>[1]</sup>

---

*[1] As compared with cartridge gauges for predecessor products.*

*[2] Approximate average composite cyan, yellow, magenta yield based on ISO/IEC 19798. Actual yield varies considerably based on content of printed pages and other factors. For details, see <http://www.hp.com/go/learnaboutsupplies>.*

*[3] See <http://www.hp.com/go/suppliesclaims>.*

*[4] HP Planet Partners Program availability varies. For details, see <http://www.hp.com/recycle>. On recycled materials in cartridges, see <http://www.hp.com/go/recycledcontent>.*

## Specifications

<b>Color(s) of printing supplies</b>	Yellow
<b>Print Technology</b>	Laser
<b>Supply type</b>	Cartridges
<b>Operating temperature range</b>	15 to 30°C
<b>Storage temperature range</b>	-20 to 40°C
<b>Operating humidity range</b>	10 to 80% RH
<b>Non-Operating Humidity Range</b>	10 to 90% RH
<b>Print Resolution Technologies</b>	JetIntelligence
<b>Compatibility</b>	HP Color LaserJet Pro M154 Printer series, HP Color LaserJet Pro MFP M180 Printer series
<b>Product count per unit</b>	1
<b>Quantity per pallet</b>	300
<b>Quantity per European pallet</b>	216
<b>Cartons per pallet</b>	300
<b>UPC number</b>	190781106944
<b>Minimum dimensions (W x D x H)</b>	363 x 96 x 111 mm
<b>Minimum dimensions (W x D x H)</b>	14.29 x 3.78 x 4.37 in
<b>Package dimensions (W x D x H)</b>	363 x 96 x 111 mm
<b>Package dimensions (W x D x H)</b>	14.29 x 3.78 x 4.37 in
<b>Pallet dimensions (W x D x H)</b>	1100 x 986 x 1254 mm
<b>Pallet dimensions</b>	43.3 x 38.8 x 49.4 in
<b>Package weight</b>	0.75 kg
<b>Package weight</b>	1.65 lb
<b>Pallet weight</b>	246 kg
<b>Pallet weight</b>	540 lb
<b>Page Yield</b>	900
<b>Page yield (black and white)</b>	~900 pages
<b>What's in the box</b>	Toner cartridge; Recycling guide
<b>Manufacturer Warranty</b>	HP's Premium Protection Warranty. This HP product is warranted to be free from defects in materials and workmanship.

## Additional specifications

<b>Cartons per layer</b>	30
<b>Cartridge Colors</b>	Yellow
<b>Compatibility 01</b>	HP LaserJet Pro M180
<b>Compatibility headline</b>	HP 204 toner cartridges work with:
<b>Count of layers in pallet</b>	10
<b>Country of origin</b>	Made in Japan
<b>European pallet dimensions (W x D x H)</b>	1100 x 790 x 1148 mm
<b>Master or single cartons per layer (European pallet)</b>	24
<b>Operating temperature range</b>	59 to 86°F
<b>Package count</b>	1
<b>Page yield (color)</b>	900 pages
<b>Page yield (yellow)</b>	1 Yellow (~900 pages)
<b>Page yield footnote</b>	Approximate average composite cyan, yellow, magenta yield based on ISO/IEC 19798. Actual yield varies considerably based on content of printed pages and other factors. For details, see <a href="http://www.hp.com/go/learnaboutsupplies">http://www.hp.com/go/learnaboutsupplies</a> .
<b>Pallet weight</b>	183 kg
<b>Print technology</b>	Laser
<b>Product subgroup</b>	Standard Capacity Toner Cartridges
<b>Segment (filter)</b>	JetIntelligence
<b>Selectability</b>	204A
<b>Stacking number for carton</b>	40
<b>Storage temperature range</b>	-4 to 104°F
<b>Subgroup</b>	Standard Capacity Cartridges
<b>UNSPSC code</b>	44103103

**Warranty**

HP's Premium Protection Warranty. This HP product is warranted to be free from defects in materials and workmanship. This warranty does not apply to print cartridges that (a) have been refilled, refurbished, remanufactured or tampered with in any way, (b) experience problems resulting from misuse, improper storage, or operation outside of the published environmental specifications for the printer product or (c) exhibit wear from ordinary use. To obtain warranty service, please return the product to place of purchase (with a written description of the problem and print samples) or contact HP customer support. At HP's option, HP will either replace products that prove to be defective or refund your purchase price. TO THE EXTENT ALLOWED BY LOCAL LAW, THE ABOVE WARRANTY IS EXCLUSIVE AND NO OTHER WARRANTY OR CONDITION, WHETHER WRITTEN OR ORAL, IS EXPRESSED OR IMPLIED AND HP SPECIFICALLY DISCLAIMS ANY IMPLIED WARRANTIES OR CONDITIONS OF MERCHANTABILITY, SATISFACTORY QUALITY, AND FITNESS FOR A PARTICULAR PURPOSE. TO THE EXTENT ALLOWED BY LOCAL LAW, IN NO EVENT WILL HP OR ITS SUPPLIERS BE LIABLE FOR DIRECT, SPECIAL, INCIDENTAL, CONSEQUENTIAL (INCLUDING LOST PROFIT OR DATA), OR OTHER DAMAGE, WHETHER BASED IN CONTRACT, TORT, OR OTHERWISE. THE WARRANTY TERMS CONTAINED IN THIS STATEMENT, EXCEPT TO THE EXTENT LAWFULLY PERMITTED, DO NOT EXCLUDE, RESTRICT OR MODIFY AND ARE IN ADDITION TO THE MANDATORY STATUTORY RIGHTS APPLICABLE TO THE SALE OF THIS PRODUCT TO YOU.

**Weight** 1.17 lb

**Weight** 0.53 kg

---

## Disclaimer — Copyright

© Copyright 2022 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Generated by Dynamic Collateral Tool – (us-en) – Nov 07, 2022 3:19 PM UTC+0000