Cooking Performance Group 84" 4 Drawer Refrigerated Chef Base with 72" Gas Griddle with Thermostatic Controls - 180,000 BTU









Certifications

ETL Sanitation 3/4" Gas Connection

Field Convertible (Gas)

ETL, US & Canada

tem #:	35172TRB84NL	Qty:
Project:		
Approva	1:	Date:

Features

- 1100 lb. weight capacity; 1 3/4" stainless steel top with marine edge
- 6 independently-controlled 30,000 BTU burners with standing pilots for instant ignition
- Heavy-duty, 3/4" thick steel griddle plate
- · Made of durable, easy-to-clean stainless steel
- Field convertible to liquid propane; includes orifice for connection

Technical Data

Width	84 Inches	
Depth	32 1/8 Inches	
Cooking Surface Width	72 Inches	
Griddle Width	72 Inches	
Interior Width	72 5/16 Inches	
Nominal Width	84 Inches	
Cooking Surface Depth	20 Inches	
Interior Depth	27 9/16 Inches	
Interior Height	16 9/16 Inches	
Amps	6.8 Amps	

Cooking Performance Group 84" 4 Drawer Refrigerated Chef Base with 72" Gas Griddle with Thermostatic Controls - 180,000 BTU



Technical Data

Phase	1 Phase	
Voltage	115 Volts	
Wattage	582 Watts	
Base Power Type	Electric	
Base Style	Refrigerator	
Burner BTU	30000 BTU	
Control Type	Modulating Thermostatic	
Cooking Surface Material	Polished Steel Steel	
Features	Field-Convertible (Gas) With Griddle	
Gas Connection Size	3/4 Inches	
Griddle BTU	180000 BTU	
Griddle Temperature	200 - 575 Degrees F	
Horsepower	2/5 hp	
Installation Type	Freestanding	
Kit Type	Chef Base / Cooking Equipment	
Number of Burners	6 Burners	
Number of Controls	6 Controls	
Number of Ovens	None	
Plate Thickness	3/4 Inch	
Plug Type	NEMA 5-15P	
Power Type	Natural Gas	
Refrigerant Type	R-290	
Refrigerated Base Temperature	33 - 40 Degrees F	
Starting Amps	20.5 Amps	
Starting Wattage	1746 Watts	
Top Capacity	1100 lb.	
Top Style	Marine Edge	
Total BTU	180000 BTU	
Type	Griddles	
Usage	Medium Duty	

Cooking Performance Group 84" 4 Drawer Refrigerated Chef Base with 72" Gas Griddle with Thermostatic Controls - 180,000 BTU



Notes & Details

Provide a convenient place to hold, store, and prepare foods by adding this Cooking Performance Group 84" 4 drawer refrigerated chef base with 72" gas griddle with thermostatic controls to your kitchen! As a space and productivity solution for your kitchen, this chef base makes it easy to increase efficiency by placing the griddle right on top of the chef base where you store your cold ingredients. This base features a durable 1 3/4" stainless steel top that can hold up to 1100 lb. of weight. Equipped with a marine edge, the unit's top helps to contain drips and spills for easy cleanup. Each drawer in this unit can hold up to 3 full size food pans (sold separately). The digital temperature control allows you to set the interior of the unit to hold your prepared foods and ingredients at safe temperatures between 33 and 40 degrees Fahrenheit. The stainless steel construction adds extended durability in a busy kitchen environment.

The 72" griddle boasts 6 powerful 30,000 BTU stainless steel burners with standing pilots for instant ignition that make it a fantastic choice for a variety of cooking tasks, from burgers and bacon to hotcakes and eggs. The energy saving thermostats are adjustable from 200 to 575 degrees Fahrenheit for precise temperature control, making it an excellent choice for delicate breakfast foods like eggs and hotcakes, as well as your lunch menu of chicken, hamburgers, and other meats. It is made of rugged stainless steel that is both durable and extremely easy to clean, includes back and side splashes to protect your walls and countertops, and even offers a full width waste tray to provide you with the complete package of excellent performance and worry-free maintenance!

For greater ease of cleaning, casters come included so that you can move the unit away from the wall. The refrigeration system uses a 2/5 hp compressor and R290 refrigerant, which is a safe and environmentally-responsible choice for your business. The unit offers a conveniently located, 3/4" rear gas connection and ships ready to connect to a natural gas supply. The unit includes a liquid propane orifice kit for quick and easy field conversion, and requires a 115V electrical connection.

△ WARNING: This product can expose you to chemicals including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, go to www.p65warnings.ca.gov.