351RC36BEV36

Cooking Performance Group CR-CPG-36-NL 36" Gas Radiant Charbroiler with Beverage-Air 36" 2 Drawer Refrigerated Chef Base -120,000 BTU









Certifications

(i) 5-15P 🔑 3/4" Gas Connection



ltem #: <u>351RC36BEV36</u>	Qty:	
Project:		
Approval:	Date:	

Features

- 3 independently-controlled 40,000 BTU burners
- Charbroiler features reversible, cast iron top grates
- Heavy-duty, insulated, and fire-proof 16 gauge top refrigerated base top
- 2 self-closing drawers feature magnetic gaskets and heavy-duty slides
- Full marine edge prevents spills from puddling on the floor

Technical Data

Width	36 Inches
Depth	34 3/4 Inches
Height	40 11/16 Inches
Cooking Surface Width	36 Inches
Interior Width	22 7/8 Inches
Base Depth	34 3/4 Inches
Cooking Surface Depth	26 13/16 Inches
Interior Depth	26 Inches
Interior Height	16 3/8 Inches
Phase	1 Phase

351RC36BEV36

Cooking Performance Group CR-CPG-36-NL 36" Gas Radiant Charbroiler with Beverage-Air 36" 2 Drawer Refrigerated Chef Base -120,000 BTU



Technical Data

Voltage	115 Volts
Access Type	Drawers
Base Power Type	Electric
Burner BTU	40000 BTU
Burner Style	U-Shaped
Construction	Stainless Steel
Control Type	Thermostatic
Cooking Surface Material	Cast Iron
Drawer Capacity	5.639999866485596 cu. ft.
Gas Inlet Size	3/4 Inches
Griddle Location	Full Surface
Horsepower	1 2/3 HP
Installation Type	Freestanding
Kit Type	Chef Base / Cooking Equipment
Number of Burners	3 Burners
Number of Controls	3
Number of Drawers	2 Drawers
Plug Type	NEMA 5-15P
Power Type	Field Convertible Natural Gas
Refrigerant Type	R-290
Temperature Settings	Adjustable
Top Style	Marine Edge
Total BTU	120000 BTU
Туре	Radiant Charbroilers
Usage	Heavy Duty
Weight Capacity	275 lb.

Cooking Performance Group CR-CPG-36-NL 36" Gas Radiant Charbroiler with Beverage-Air 36" 2 Drawer Refrigerated Chef Base -120,000 BTU



Notes & Details

Optimize space with the perfect combo of equipment with this Cooking Performance Group CR-CPG-36-NL 36" gas radiant charbroiler and Beverage-Air 36" 2 drawer refrigerated chef base. The charbroiler boasts 3 powerful 40,000 BTU stainless steel U-shaped burners with cast iron grates to provide even broiling. The reversible cast-iron grates offer 2 different thicknesses and can be used in a flat or sloped position for whatever your food necessitates. It has a 3/4" rear gas connection and ships ready to connect to a natural gas supply but includes a liquid propane orifice kit for simple field conversion. The entire design of the charbroiler is extremely easy to clean, durable, and very space efficient.

Perfectly paired with the CPG charbroiler, the 36" Beverage Air refrigerated base is built to hold up to 275 lbs with a heavy-duty 16 gauge top that is both insulated and fireproof. It has a full marine drip-guard surface to prevents spills from dripping over the edge, so your floor remains safe and dry. Keep ingredients within reach in the 2 heavy-duty stainless steel self-closing drawers that shut automatically when they reach the final 1 - 2" of their respective slides. The slides have 3 Delrin encased stainless steel roller bearings to ensure that the drawers smoothly extend and retract. Each drawer fits up to 2 full size, 6" deep food pans.

For reliable high-performance operation, a 1/6 hp refrigeration system circulates R290 refrigerant. It maintains temperatures between 36 and 38 degrees Fahrenheit. A full electronic control makes it easy to adjust the unit during the day as needed. When it comes time to clean around the unit, there are 3" casters that enable the device to move out of the way. The adaptive defrost proactively simplifies regular maintenance, and the 2 casters with brakes lock the unit in place during operation. A 115V electrical connection is required for operation of the chef base.

Kit Includes:

- Cooking Performance Group CR-CPG-36-NL 36" gas countertop radiant charbroiler
- Beverage-Air WTRCS36HC 36" 2 drawer refrigerated chef base

WARNING: This product can expose you to chemicals including lead, which are known to the State of California to cause cancer, birth defects, or other reproductive harm. For more information, go to <u>www.p65warnings.ca.gov</u>.