






REVISION HISTORY

REV	DESCRIPTION	DATE	APPROVED
-	Engineering Release	09/09/2021	Todd Stone



Distance to gas connections

The dimensions shown are the actual physical dimensions of the grill. Additional clearances to cabinetry are dependent on the tolerances of the cut-out. The suggested cut-out dimensions are listed in the chart below but these dimensions can be reduced if the tolerances are controlled.

Please refer to the installation manual for additional clearances to combustibles.

Suggested Cut-out Dimensions		Dimensions are in inches Linear Tolerance: +/- .015 Bend Tolerance: +/- .020 Angular Tolerance: +/- 0.5 Radial Tolerance: +/- .005
Height	14.500	
Width	56.250	
Depth	24.500	
Material	SS 304	DRAWN BY: Todd Stone

**CROWN VERITY**


37 Adams Blvd., Brantford, Ontario, N3S 7V8  
P: (519) 751-1800 www.crownverity.com

TITLE  
**48 Inch Infinite Series Single Dome Built-in Grill with Insulated Jacket**

SIZE	Customer	DWG NO	REV
B	Crown Verity	IB148(NG/LP)-IJ	-
SCALE	1:11	09/09/2021	SHEET 1 of 3




REVISION HISTORY

REV	DESCRIPTION	DATE	APPROVED
-	Engineering Release	09/09/2021	Todd Stone



The dimensions shown are the actual physical dimensions of the grill. Additional clearances to cabinetry are dependent on the tolerances of the cut-out. The suggested cut-out dimensions for the insulated jacket option are listed in the chart below but these dimensions can be reduced if the tolerances are controlled.

Please refer to the installation manual for additional clearances to combustibles.



Removable Grease Tray

Suggested Cut-out Dimensions	
Height	14.500
Width	56.250
Depth	24.500
Material	SS 304

Dimensions are in inches  
 Linear Tolerance: +/- .015  
 Bend Tolerance: +/- .020  
 Angular Tolerance: +/- 0.5  
 Radial Tolerance: +/- .005

DRAWN BY: Todd Stone




37 Adams Blvd., Brantford, Ontario, N3S 7V8  
 P: (519) 751-1800 www.crownverity.com

TITLE			
48 Inch Infinite Series Single Dome Built-in Grill with Insulated Jacket			
SIZE	Customer	DWG NO	REV
B	Crown Verity	IBI48(NG/LP)-IJ	-
SCALE	1:11	09/09/2021	SHEET 2 of 3

REVISION HISTORY			
REV	DESCRIPTION	DATE	APPROVED
-	Engineering Release	09/09/2021	Todd Stone

This dimension is the furthest point the dome protrudes back as it opens. It is 3.287 inches further back than the rear flange of the cabinet shell.



The dimensions shown are the actual physical dimensions of the grill. Additional clearances to cabinetry are dependent on the tolerances of the cut-out. The suggested cut-out dimensions are listed in the chart below but these dimensions can be reduced if the tolerances are controlled.

Please refer to the installation manual for additional clearances to combustibles.

Suggested Cut-out Dimensions		Dimensions are in inches Linear Tolerance: +/- .015 Bend Tolerance: +/- .020 Angular Tolerance: +/- 0.5 Radial Tolerance: +/- .005
Height	14.500	
Width	56.250	
Depth	24.500	
Material	SS 304	DRAWN BY: Todd Stone

**CROWN VERITY**

37 Adams Blvd., Brantford, Ontario, N3S 7V8  
P: (519) 751-1800 www.crownverity.com

TITLE  
**48 Inch Infinite Series Single Dome Built-in Grill with Insulated Jacket**

SIZE	Customer	DWG NO	REV
B	Crown Verity	IB148(NG/LP)-IJ	-
SCALE	1:11	09/09/2021	SHEET 3 of 3