



REVISION HISTORY

REV	DESCRIPTION	DATE	APPROVED
-	Engineering Release	01/01/2020	Todd Stone



Dome Light

Burner Control Knob (1 of 5)

Pilot Control Knob

On/Off Switch for Lights

Electronic Ignition Switch

Detail A  
SCALE 1 : 3.67





Image shown with optional IGM36FDLT Light Kit



Removable Grease Tray

Junction box for electrical connections. Can be accessed from the rear of the cabinet by removing the back panel

Storage area below the grill. Optional drawer configurations are available at the time of ordering or can be installed at a later date (see page 3).

Natural gas connection shown. For propane versions, bulk tank connections would also occur here. For propane versions not connected to a bulk tank, a pull-out propane tank drawer is provided along with a hose and regulator assembly to attach to a 20 lbs. tank (not supplied).

Gauge	N/A
Weight (Kg)	N/A
K Factor	N/A
Finish	#4
Material	SS 304

Dimensions are in inches  
 Linear Tolerance: +/- .015  
 Bend Tolerance: +/- .020  
 Angular Tolerance: +/- 0.5  
 Radial Tolerance: +/- .005  
 DRAWN BY: Todd Stone



**CROWN VERITY**

37 Adams Blvd., Brantford, Ontario, N3S 7V8  
 P: (519) 751-1800 www.crownverity.com

TITLE			
Infinite 36 Inch Grill Module with Dome and Face Light Kit			
SIZE	Customer	DWG NO	REV
B	Crown Verity	IGM36(NG/LP)	-
SCALE	DATE	SHEET	1 of 3
1:11	01/01/2020		


REVISION HISTORY

REV	DESCRIPTION	DATE	APPROVED
-	Engineering Release	01/01/2020	Todd Stone




Adjustable leveling leg shown at lowest setting. Adjustment range is 2.125 inches.

Dome position fully opened



This dimension is the furthest point the dome protrudes back as it opens. It is 3.091 inches further back than the rear of the cabinet.

Dimension from the open lid of the dome to the back of the cabinet.



The junction box for electrical connections is located behind the removable back panel. A section of the back panel has been removed for clarity.

Image shown with optional IGM36FDLT Light Kit

Gauge	N/A	Dimensions are in inches Linear Tolerance: +/- .015 Bend Tolerance: +/- .020 Angular Tolerance: +/- 0.5 Radial Tolerance: +/- .005
Weight (Kg)	N/A	
K Factor	N/A	
Finish	#4	
Material	SS 304	
DRAWN BY: Todd Stone		


**CROWN VERITY**

37 Adams Blvd., Brantford, Ontario, N3S 7V8  
P: (519) 751-1800 www.crownverity.com


TITLE			
Infinite 36 Inch Grill Module with Dome and Face Light Kit			
SIZE	Customer	DWG NO	REV
B	Crown Verity	IGM36(NG/LP)	-
SCALE	DATE	SHEET	
1:12	01/01/2020	2 of 3	

REVISION HISTORY


REV	DESCRIPTION	DATE	APPROVED
-	Engineering Release	01/01/2020	Todd Stone



For LP applications that are not connected to a bulk supply, a pull-out propane tank drawer is factory installed along with a hose and regulator assembly to attach to a 20 lbs. tank (not supplied). A shelf is also installed to prevent the storage of a second propane tank per the residential standard for outdoor cooking appliances ANSI Z21.58-2018 and CSA 1.6-2018



Storage area below the grill is shown with the optional garbage drawer.



Storage area below the grill is shown with the optional utility drawer. The cabinet can accommodate a single or dual drawer as shown.

Image shown with optional IGM36FDLT Light Kit



37 Adams Blvd., Brantford, Ontario, N3S 7V8  
P: (519) 751-1800 www.crownverity.com

Gauge	N/A	Dimensions are in inches Linear Tolerance: +/- .015 Bend Tolerance: +/- .020 Angular Tolerance: +/- 0.5 Radial Tolerance: +/- .005
Weight (Kg)	N/A	
K Factor	N/A	
Finish	#4	
Material	SS 304	
DRAWN BY: Todd Stone		

TITLE			
Infinite 36 Inch Grill Module with Dome and Face Light Kit			
SIZE	Customer	DWG NO	REV
B	Crown Verity	IGM36(NG/LP)	-
SCALE	DATE	SHEET	3 of 3
1:12	01/01/2020		