





REVISION HISTORY

REV	DESCRIPTION	DATE	APPROVED
-	Engineering Release	01/01/2020	Todd Stone



Removable Grease Tray

Natural gas connection shown. For propane versions, bulk tank connections would also occur here. For propane versions not connected to a bulk tank, a pull-out propane tank drawer is provided along with a hose and regulator assembly to attach to a 20 lbs. tank (not supplied).

Storage area below the grill. Optional drawer configurations are available at the time of ordering or can be installed at a later date (see page 3).

Gauge	N/A	Dimensions are in inches Linear Tolerance: +/- .015 Bend Tolerance: +/- .020 Angular Tolerance: +/- 0.5 Radial Tolerance: +/- .005
Weight (Kg)	N/A	
K Factor	N/A	
Finish	#4	
Material	SS 304	
DRAWN BY: Todd Stone		



CROWN VERITY

37 Adams Blvd., Brantford, Ontario, N3S 7V8
P: (519) 751-1800 www.crownverity.com

TITLE			
Infinite 36 Inch Grill Module			
SIZE	Customer	DWG NO	REV
B	Crown Verity	IGM36(NG/LP)	-
SCALE	1:11	01/01/2020	SHEET 1 of 3


REVISION HISTORY

REV	DESCRIPTION	DATE	APPROVED
-	Engineering Release	01/01/2020	Todd Stone




Adjustable leveling leg shown at lowest setting. Adjustment range is 2.125 inches.

Dome position fully opened



This dimension is the furthest point the dome protrudes back as it opens. It is 3.091 inches further back than the rear of the cabinet.

Dimension from the open lid of the dome to the back of the cabinet.



CROWN VERITY


37 Adams Blvd., Brantford, Ontario, N3S 7V8
P: (519) 751-1800 www.crownverity.com

Gauge	N/A	Dimensions are in inches Linear Tolerance: +/- .015 Bend Tolerance: +/- .020 Angular Tolerance: +/- 0.5 Radial Tolerance: +/- .005
Weight (Kg)	N/A	
K Factor	N/A	
Finish	#4	
Material	SS 304	
DRAWN BY: Todd Stone		


TITLE			
Infinite 36 Inch Grill Module			
SIZE	Customer	DWG NO	REV
B	Crown Verity	IGM36(NG/LP)	-
SCALE	DATE	SHEET	
1:12	01/01/2020	2 of 3	

REVISION HISTORY


REV	DESCRIPTION	DATE	APPROVED
-	Engineering Release	01/01/2020	Todd Stone



For LP applications that are not connected to a bulk supply, a pull-out propane tank drawer is factory installed along with a hose and regulator assembly to attach to a 20 lbs. tank (not supplied). A shelf is also installed to prevent the storage of a second propane tank per the residential standard for outdoor cooking appliances ANSI Z21.58-2018 and CSA 1.6-2018



Storage area below the grill is shown with the optional garbage drawer.



Storage area below the grill is shown with the optional utility drawer. The cabinet can accommodate a single or dual drawer as shown.

CROWN VERITY

37 Adams Blvd., Brantford, Ontario, N3S 7V8
P: (519) 751-1800 www.crownverity.com

Gauge	N/A	Dimensions are in inches Linear Tolerance: +/- .015 Bend Tolerance: +/- .020 Angular Tolerance: +/- 0.5 Radial Tolerance: +/- .005
Weight (Kg)	N/A	
K Factor	N/A	
Finish	#4	
Material	SS 304	
DRAWN BY: Todd Stone		

TITLE			
Infinite 36 Inch Grill Module			
SIZE	Customer	DWG NO	REV
B	Crown Verity	IGM36(NG/LP)	-
SCALE	1:12	01/01/2020	SHEET 3 of 3