## Tes

## T&S BRASS AND BRONZE WORKS, INC.

2 Saddleback Cove / P.O. Box 1088 Travelers Rest, SC 29690 Model No.

EC-3105-VF5-TMV

Item No.

NSF 61 - Section 9 NSF 372 (Low Lead Content)

1:6

Sheet: 1 of 2

ANSI A117.1 (ADA)

ASSE 1070 (TMV)

Scale:

UL 1951

08/31/20

Travelers Rest, SC: 800-476-4103 • Simi Valley, CA: 800-423-0150 • Fax: 864-834-3518 • www.tsbrass.com

Short Elbow For [155mm] This Space for Architect/Engineer Appro		Architect/Engineer Approval
Short Elbow For [155mm] Restricted Space	ChekPoint"   Job Name	Date
Installations ·	Model Specified	Quantity
	Customer/Wholesal	er
1 15/16" ADA	Contractor	
	ooseneck Architect/Engineer	
	99-06-N05 [Architect/Engineer_ M [1.9 L/min]	ı 4 1/8" <sub> </sub>
	Resistant	[104mm]
Non-Aerated Spray Device		
1/2" NPSM x 3/8" NPSM 30" [762mm] Flexible Stainless Steel Hose	9 15/16" [252mm] 11" 5 15/1 [280mm] [151m	
Polis 24" [	610mm] or Cable	ounting 2 1/4" [58mm]
Removable Strainer  3 5/8" x 4 3/16" x 2" Deep [92mm x 106mm x 51mm] Water Resistant Control Module Box (Grey) w/ Internal Flow Control Setting Switches, AC or DC Operated w/ (4) AA Batteries. Hardwire Capable Using Terminals on Back		
100-240 VAC Adapter w/ 71" [1800mm] Power Cable. (Remove Rubber Plugs on Module and Cable to Connect)		
EC-TMV	-(2) 3/8" Compression x 1/2" NF 18" [457mm] Flexible Stainless Supply Hose	s Steel
ASSE 1070 Temperature Mixing Rough-In Requirement:  Valve w/ Integral Check Valves (2) 1" [25mm] Mounting Holes on 4" [102mm] Centers		
Product Specifications:	`	uct Compliance:
Chrome Plated Brass Electronic Faucet: 4" Wall Mount Rigid Gooseneck w/		

VR 0.5 GPM Non-Aerated Spray Device, AC/DC Control Module w/ Internal

Approved:

Date:

Flow Control Setting Switches, Thermostatic Temperature Control Mixing Valve w/ Integral Check Valves & 18" Hot & Cold Supply Stop Flexible

KJG

Connector Hoses

LSA

Checked:

Drawn:



## T&S BRASS AND BRONZE WORKS, INC.


2 Saddleback Cove / P.O. Box 1088 Travelers Rest, SC 29690

Model No.

EC-3105-VF5-TMV


Item No.

Travelers Rest, SC: 800-476-4103 • Simi Valley, CA: 800-423-0150 • Fax: 864-834-3518 • www.tsbrass.com



DESCRIPTION SALES NO. 015425-45 Vandal Resistant Key 0.5 GPM VR Non-Aerated Spray B-0199-06-N05 Device, 55/64-27 Female 044A 3/8" to Aerator Adapter 006575-45 O-Ring 015345-20 Low Profile Elbow, 3/8 NPSM 017195-45 Angled Sensor with Cable Flexible Connector Hose, 3/8" NPSM x 016325-45 1/2" NPSM 016647-45 ChekPoint Control Module (Grey) 5EF-0002 A/C Transformer Supply Hose, 9/16-24 Female x 1/2" 5EF-0005 NPSM EC-TMV ASSE 1070 Thermostatic Mixing Valve **EC-FILTER** Replacement Filter

> A Maximum of (8) ChekPoint Faucets can be Hardwire Connected and Powered by EC-HARDWIRE ChekPoint Hardwire AĆ Transformer. (Sold Separately)



Label for Flow Control Switch Settings is Located on Inside of Back Cover.

Flow Control Switches are Located Inside Module Housing in Black Box Next to Battery Compartment.

- \*Switches are Set to DEFAULT Position:
  - Auto Time Out = 15 Seconds
  - Shut Off Delay = 1 Second
  - Auto Flush = ÓFF

Remove (4) Screws and Back Cover to Access Switches.

\*Available Water Flow Control Selections:

- Auto Time Out: 15 sec, 30 sec, 45 sec, 60 sec, 3 min, 20 min
- Shut Off Delay: 1 sec, 10 sec, 15 sec, 30 sec
- Auto Flush (30 Seconds After Every 12 Inactive Hours): ON or OFF

**Product Specifications:** 

Chrome Plated Brass Electronic Faucet: 4" Wall Mount Rigid Gooseneck w/ VR 0.5 GPM Non-Aerated Spray Device, AC/DC Control Module w/ Internal Flow Control Setting Switches, Thermostatic Temperature Control Mixing Valve w/ Integral Check Valves & 18" Hot & Cold Supply Stop Flexible Connector Hoses

Product Compliance:

ASME A112.18.1 / CSA B125.1 NSF 61 - Section 9 NSF 372 (Low Lead Content) ANSI A117.1 (ADA) UL 1951 ASSE 1070 (TMV)

Drawn: LSA Checked: KJG Approved: Date: 08/31/20 Scale: NTS Sheet: 2 of 2

9