

# MATERIAL SAFETY DATA SHEET

NAME OF PRODUCT MSDS DATE: 03/17/09

FILE NO.:

# **SECTION 1: PRODUCT AND COMPANY IDENTIFICATION**

PRODUCT NAME: OFF-82465, SBC-66620, UNV-55400, UNV-55144, UNV-24264, UNV-24264FL, UNV-55520, UNV-55525

SYNONYMS:

**PRODUCT CODES:** 

MANUFACTURER: PT. Pelinda Sarana Sukses

DIVISION:

ADDRESS: JL. Raya Serang KM 18, Tangerang

EMERGENCY PHONE: 021 - 6901171

CHEMTREC PHONE:

OTHER CALLS: 021 - 5960771 FAX PHONE: 021 - 5960768 CHEMICAL NAME: Lacquar Acrylic

CHEMICAL FAMILY: CHEMICAL FORMULA: NA

**PRODUCT USE: Painting** 

PREPARED BY: HERLINA / MANNEN.S

**SECTION 1 NOTES:** 

## **SECTION 2: COMPOSITION/INFORMATION ON INGREDIENTS**

# **INGREDIENT:** Mixture of pigment in multifunction acrylate

Ingredientsi	CAS.No	Amount
Titanium Dioxida	13463-67-7	5.50 %
Pigment Organic Yellow	5468-75-7	15.00%
Pigment Yellow	51247-00-1	2.00 %
Pigment Organic Orange	3570-72-7	0.50 %
Additive	78-83-1	5.00 %
Alkyd Acrylic	9003-01-04	15.00%
Nitro Cellulose	9004-70- 0	20.00%
Solvent: Butyl Acetate	123-86- 4	7.50 %
Ethyl Acetate	141-78- 4	7.50 %
Acaton	67-64- 1	11.00 %
Plasticizer	8013-07- 8	11.00 %
Total		100.00 %

#### **OSHA PEL-TWA: NA**

**OSHA PEL STEL: NA OSHA PEL CEILING: NA ACGIH TLV-TWA: NA ACGIH TLV STEL: NA ACGIH TLV CEILING: NA SECTION 2 NOTES: TSCA** : Regestered Each Component **SECTION 3: HAZARDS IDENTIFICATION EMERGENCY OVERVIEW: ROUTES OF ENTRY: POTENTIAL HEALTH EFFECTS** EYES: NA SKIN: NA **INGESTION: NA INHALATION: NA ACUTE HEALTH HAZARDS: No data available CHRONIC HEALTH HAZARDS: No data available** MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE: **CARCINOGENICITY** NTP: IARC: ACGIH: OSHA: OTHER: **SECTION 3 NOTES: SECTION 4: FIRST AID MEASURES** EYES: Rinse immediately with plenty of water for at least 15 minutes SKIN: Wash with soap and water INGESTION: Provide symptomatic treatment and seek medical attention INHALATION: Remove person to fresh air NOTES TO PHYSICIANS OR FIRST AID PROVIDERS: **SECTION 4 NOTES: SECTION 5: FIRE-FIGHTING MEASURES** FLAMMABLE LIMITS IN AIR, UPPER: (% BY VOLUME) LOWER: FLASH POINT:

F:

**METHOD USED:** 

**AUTOIGNITION TEMPERATURE:** 

F: C:

NFPA HAZARD CLASSIFICATION

HEALTH: FLAMMABILITY: REACTIVITY:

OTHER:

**HMIS HAZARD CLASSIFICATION** 

HEALTH: FLAMMABILITY: REACTIVITY:

PROTECTION:

EXTINGUISHING MEDIA: Use water fog, Dry Chemical, Carbon Dioxide, Foam & sand

SPECIAL FIRE FIGHTING PROCEDURES: NA

**UNUSUAL FIRE AND EXPLOSION HAZARDS: NA** 

HAZARDOUS DECOMPOSITION PRODUCTS: NA

**SECTION 5 NOTES:** 

#### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

ACCIDENTAL RELEASE MEASURES: Avoid contact with the skyn, eyes and wear proper ski protection

**SECTION 6 NOTES:** 

#### **SECTION 7: HANDLING AND STORAGE**

HANDLING AND STORAGE: Avoid heathing or misting the product, store in cool dry place incomparible material

OTHER PRECAUTIONS: Do not leave vasse/ containers open

Keep away heat & flames prevent statis discharge ( isoled from sources of heat, sparks & open flame)

**SECTION 7 NOTES:** 

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

**ENGINEERING CONTROLS: NA** 

VENTILATION: Maintain exposure levels as low as possible through use of general and local exhaust ventilation

RESPIRATORY PROTECTION: use NIOSH approved when necessary

EYE PROTECTION: Goggle for eye protection SKIN PROTECTION: Gloves for skin protection

OTHER PROTECTIVE CLOTHING OR EQUIPMENT: Launder clothing daily after use, wash thoroughly after handinf

**WORK HYGIENIC PRACTICES: NA** 

**EXPOSURE GUIDELINES: NA** 

**SECTION 8 NOTES:** 

**SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES** 

APPEARANCE: Yellow liquid **ODOR: Slight Mild** PHYSICAL STATE: pH AS SUPPLIED: pH (Other): **BOILING POINT: N.A** F: C: **MELTING POINT: N.A** F: C: FREEZING POINT: N.A F: C: VAPOR PRESSURE (mmHg): N.A @ F: C: VAPOR DENSITY (AIR = 1): N.A @ C: SPECIFIC GRAVITY (H2O = 1): 1.05 @ F: C: **EVAPORATION RATE: BASIS** (=1): SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES (con't) **SOLUBILITY IN WATER: N.A** PERCENT SOLIDS BY WEIGHT: PERCENT VOLATILE: BY WT/ BY VOL @ F: C: **VOLATILE ORGANIC COMPOUNDS (VOC):** WITH WATER: LBS/GAL WITHOUT WATER: LBS/GAL **MOLECULAR WEIGHT: VISCOSITY: 6000 CPS** F: C:

**SECTION 10: STABILITY AND REACTIVITY** 

SECTION 9 NOTES: N.A

STABLE

STABILITY: Stable under recommended , strorage & handking conditions

CONDITIONS TO AVOID (STABILITY): Store under ambient temperatur

INCOMPATIBILITY (MATERIAL TO AVOID): Keep container tighthy & sealed

**UNSTABLE** 

HAZARDOUS POLYMERIZATION: No expeted
CONDITIONS TO AVOID (POLYMERIZATION ): N.A
SECTION 10 NOTES:
SECTION 11: TOXICOLOGICAL INFORMATION
TOXICOLOGICAL INFORMATION: EN 71 part 3,ASTM F9363 – 07 section 4.3.5
SECTION 11 NOTES:
SECTION 12: ECOLOGICAL INFORMATION
ECOLOGICAL INFORMATION: N.A
SECTION 12 NOTES:
SECTION 13: DISPOSAL CONSIDERATIONS
WASTE DISPOSAL METHOD:
RCRA HAZARD CLASS:
SECTION 13: DISPOSAL CONSIDERATIONS (con't)
SECTION 13 NOTES:
SECTION 14: TRANSPORT INFORMATION
U.S. DEPARTMENT OF TRANSPORTATION PROPER SHIPPING NAME: N.A HAZARD CLASS: Not regulated ID NUMBER: N.A PACKING GROUP: N.A LABEL STATEMENT: N.A
WATER TRANSPORTATION PROPER SHIPPING NAME: N.A HAZARD CLASS: : Not regulated ID NUMBER: N.A PACKING GROUP: N.A LABEL STATEMENTS: N.A
AIR TRANSPORTATION PROPER SHIPPING NAME: N.A HAZARD CLASS: : Not regulated ID NUMBER: N.A PACKING GROUP: N.A LABEL STATEMENTS: N.A
OTHER AGENCIES:

HAZARDOUS DECOMPOSITION OR BY-PRODUCTS:

# **U.S. FEDERAL REGULATIONS**

TSCA (TOXIC SUBSTANCE CONTROL ACT): ASTM953-07SECTION 4,3,5, EN71 PART 1,2,3 CERCLA (COMPREHENSIVE RESPONSE COMPENSATION, AND LIABILITY ACT): NA

SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT):NA

311/312 HAZARD CATEGORIES: NA

313 REPORTABLE INGREDIENTS: Additive, Extender, Alkyd Acrylic, Niro Cellulose, Solvent (Butyl Acetate, Acetone, Plasticizer)

**STATE REGULATIONS: NA** 

INTERNATIONAL REGULATIONS: Follow all federal, state and local regulations in your country.

**SECTION 15 NOTES:** 

## **SECTION 16: OTHER INFORMATION**

OTHER INFORMATION:

PREPARATION INFORMATION: This information is based on our present styates of knowledge

DISCLAIMER: