

HP 63 Black Original Ink Cartridge (F6U62AN)



Overview

HP 63 Ink Cartridge, black

More than 50% of Original HP Ink Cartridges are made with recycled ocean-bound plastic.[10]

Innovative ink that makes it simple to get more

Easily complete your projects. More accurate alerts can help ensure you don't run out of ink at the wrong time.

Printing made so simple

Print full pages and receive notifications when your cartridges are running low.

Designed to deliver

Choose Original HP ink cartridges specially designed to work with your printer and plain papers for clear, neat documents and impressive reports.

Features



Depend on HP Ink for precise output



Designed with the planet in mind^[1]



Meets eco-label emission criteria^[2]^[2]



Engineered for security^[3]

[1] Image permanence estimates based on Original HP inks printed on HP Photo Papers. For more information, see <http://www.hp.com/go/printpermanence>.

[2] For details on local printing requirements see <http://www.hp.com/go/mobile printing>.

[3] Based on HP 63/302/123/803XL High Yield Original Ink Cartridges compared to HP 63/32/123/803 standard Original Ink Cartridges. High-yield ink cartridges not included; purchase separately. For more information, see <http://hp.com/learnaboutesupplies> . Lower cost per page of Original HP High-Yield cartridges compared with estimated street price and published page yield of standard-yield Original Ink Cartridges. Actual pricing may vary.

[1] Program availability varies. See <http://hp.com/hprecycle> .

[2] An HP printing system consists of HP printer, paper and Original HP supply. Blue Angel DE-UZ 219 emissions criteria or earlier versions of criteria applicable when printing system launched.

[3] HP office-class printing systems are select Enterprise and Managed devices with FutureSmart firmware 4.5 and up, Pro devices, LaserJet models 200 and up, with respective Original HP Toner, PageWide and Ink Cartridges. Does not include HP integrated printhead cartridges. Digital supply-chain tracking, hardware, chips, and packaging security features vary locally by SKU. See <http://hp.com/cartridgesecurity> .

Specifications

Ink types	Pigment-based
Color(s) of printing supplies	Black
Print Technology	Ink
Supply type	Cartridges
Ink drop	22 pl
Print head nozzles	328
Print cartridge volume delivered	3.5 ml
Operating temperature range	15 to 32°C
Storage temperature range	-40 to 60°C
Operating humidity range	20 to 80% RH
Non-Operating Humidity Range	20 to 80% RH
Print Resolution Technologies	TIJ 2.X Gen III
Compatibility	HP DeskJet 1110, HP DeskJet 1115, HP DeskJet 2130, HP DeskJet 2135, HP DeskJet 3630, HP ENVY 4520, HP OfficeJet 3830, HP OfficeJet 4650
Product count per unit	1
Case or master carton quantity	24
Quantity per pallet	3168
Cartons per pallet	132
UPC number	889296267409
Pallet barcode	(140) 30889296267400
Minimum dimensions (W x D x H)	114 x 36.3 x 102.9 mm
Minimum dimensions (W x D x H)	4.49 x 1.43 x 4.05 in
Package dimensions (W x D x H)	114 x 36.3 x 102.9 mm
Package dimensions (W x D x H)	4.49 x 1.43 x 4.05 in
Case or master carton dimensions (W x D x H)	357.2 x 138.1 x 169.9 mm
Case dimensions (case or master carton)	14.06 x 5.44 x 6.69 in
Pallet dimensions (W x D x H)	1219.2 x 1016 x 1168.4 mm
Pallet dimensions	48 x 40 x 46 in
Case weight (case or master carton)	1.2 kg
Package weight	~0.04 kg
Package weight	~0.10 lb
Pallet weight	178.40 kg

Pallet weight 393.37 lb

Page Yield 170

Page yield (black and white) ~170 pages

What's in the box Ink cartridge

Manufacturer Warranty HP's ink cartridges and printheads are warranted to be free from defects in materials and workmanship during the period of the warranty.

Additional specifications

Additional information about Eco	http://www.hp.com/go/ecosolutions
Business Segment	Premium Home
Cartons per layer	22
Cartridge Colors	Black
Case weight (case or master carton, imperial)	2.7 lb
Compatibility 01	HP DeskJet 1112, 2130, 2132, 3630, 3631, 3632, 3633, 3634, 3636, 3637, 3639
Compatibility 02	HP ENVY 4511, 4512, 4513, 4524
Compatibility 03	HP OfficeJet 3830, 3831, 3833, 4650, 4652, 4655, 5212, 5220, 5252, 5255, 5258, 5264
Compatibility headline	HP 63 ink cartridges work with:
Count of layers in pallet	6
Country of origin	Made in Malaysia
Empty weight	163 g
Inner pack ITF-14 unit code	(140) 10889296267406
Operating temperature range	59 to 90°F
Package count	1
Page yield (black)	1 Black (~170 pages)
Page yield footnote	Approximate average based on ISO/IEC 24711 or HP testing methodology and continuous printing. Actual yield varies considerably based on content of printed pages and other factors. For details see http://www.hp.com/go/learnaboutsupplies .
Photo (product photo, jpg, 190x170)	supplies/F6U62AA_190x170.jpg
Photo (product photo, jpg, 400x400)	supplies/F6U62AA_400x400.jpg
Photo (product photo, jpg, 70x100)	supplies/F6U62AA_70x100.jpg
Print technology	HP Thermal Inkjet
Printhead swath (inch)	0.56 in
Product subgroup	Standard Capacity Ink Cartridges
Quantity per box	4
Segment (filter)	Premium Home
Selectability	63
Smaller master carton barcode	(140) 20889296267403
Stacking number for pallet	2

Storage temperature range	-40 to 140°F
Subgroup	Standard Capacity Cartridges
UNSPSC code	44103105
Warranty	HP's ink cartridges and printheads are warranted to be free from defects in materials and workmanship during the period of the warranty. This warranty pertains to the product when used in its designated HP or authorized OEM printing device. HP will, at HP's option, either refund the purchase price or replace products that prove to be defective. Visit the HP online support web site http://www.hp.com/support for a list of support phone numbers and conditions or return to your point of purchase.
Weight	~0.07 lb
Weight	30.34 g

Disclaimer — Copyright

© Copyright 2022 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Generated by Dynamic Collateral Tool – (us-en) – Nov 08, 2022 6:58 PM UTC+0000