

# YOU DESERVE A RAISE

*From standard seating at lunch, bar-height for late-night, brunch buffets, or anything in between, your business can now be flexible enough for all customers and functions with the press of a lever.*

Convenient and easily adjustable, FLAT's height-adjustable tables combine one of our FLAT® Table Bases with our adjustable pneumatic post. Once installed, our pneumatic post rises or lowers with the press of a lever and the assistance of the server. Our height-adjustable tables provide restaurants and facilities with the ability to adapt to any need—and provide a simple and convenient way to cater at dining, counter or bar height—and anywhere in between. Our height-adjustable tables help operators to cater for customers with accessibility requirements and adhere with local legislation (such as ADA compliance in the USA).

Having height-adjustable table bases means you no longer need tables of varying heights for different applications, which take up storage space and your budget. As with all of our precisely engineered products, you'll be confident knowing that your tables are stable, aligned, and doing what they should—being the centerpiece of a memorable experience.



## TABLE BASES | HEIGHT-ADJUSTABLE SERIES



### ADJUSTABLE HEIGHT

Transform your dining height tables to bar height, or anything in between with the simple press of a lever.



### SAVE MONEY

Many businesses stock two sets of tables, bringing bar height tables out for late-night crowds. Eliminate the extra table costs and take back storage space using our height-adjustable tables.



### SAVE TIME

Time spent switching out tables for late-night festivities, re-arranging for buffets, or trying to find tables for those with accessibility requirements is cut dramatically.




### ACCESSIBILITY

Easily accommodate guests in wheelchairs, or with other accessibility requirements with a simple adjustment.



### STABILIZATION

Gain all the benefits of having FLAT® technology under the table, providing a stable footing.



### ALIGNMENT

Perfectly align your tables at whatever height suits you and your guests.



### EASILY ADJUSTS

Change your dining setup in seconds to accommodate your clientele or function.



Easily adjust tables to accommodate those with accessibility requirements.

## TABLE BASES | AUTO-ADJUST SERIES

**KX2230** ♦ The KX2230 complements the rest of the KX Series bases and is engineered to accommodate rectangular tops. Available in dining and bar heights or with our height-adjustable post.



### ROD

Thicker structural tension rod to hold base together securely.

### TOP PLATE

Superior quality—provides extra strength and stability.

### POST

Wider diameter of 76mm/3in for structural support with increased wall thickness.

### CAST IRON BASE

High-quality casting.

### FLAT® TECHNOLOGY INSTALLED

The base and the technology are designed in unison to deliver superior performance and longevity.

## SPECIFICATIONS

<b>Material/Finish:</b>	Cast Iron/Textured
<b>Base Span:</b>	560x750mm/22x30in
<b>Base Spread:</b>	505mm/20in
<b>Post/Column Width:</b>	76mm/3in

## DINING HEIGHT

<b>Weight:</b>	12kg/26.4lb
<b>Top Plate Size:</b>	330mm/13in
<b>Max Table Top Size:</b>	750x900mm/30x36in
<b>Max Table Top Weight:</b>	16kg/35lb

## COUNTER HEIGHT


**Height:** 883mm/34.75in - model CT2082 available in the Americas

## BAR HEIGHT

<b>Height:</b>	1035mm/40.75in
<b>Weight:</b>	13.3kg/29.3lb
<b>Weight With Footring:</b>	15.1kg/33.3lb
<b>Max Table Top Size (Rectangular):</b>	600x900mm/24x36in
<b>Max Table Top Weight:</b>	13.6kg/30lb

## HEIGHT-ADJUSTABLE (PNEUMATIC)

<b>Min-Max Height:</b>	701-1035mm/27.6-40.75in
<b>Weight:</b>	14kg/30.7lb
<b>Max Table Top Size (Rectangular):</b>	600x760mm/24x30in
<b>Max Table Top Weight:</b>	16kg/35lb
<b>Top Plate Size:</b>	308mm/12in



• Zinc coating option - available on request (conditions apply)

**WARNING:** Exceeding maximum recommended table top size and weight will reduce functionality and performance of the technology. See Table Top Size Guide for more info or consult with your FLAT representative for further information or alternative configurations.