



PIG® Sink & Dryer Grippy® Mat

GRP7006 Indoor Use on Concrete, Vinyl, Linoleum, Tile and Laminate Flooring, 24" W x 17" L, 4 pads per box

Keep restroom floors dry and safe when people wash their hands with our adhesive-backed mats, with an absorbent top that soaks up water and other liquids.

- PIG Sink & Dryer Grippy Mats capture water to keep floors dry in front of sinks and under hand dryers and towel dispensers; also help control slip hazards around drinking fountains, showers, and other wet trouble spots
- Permanently infused antimicrobial technology prevents the growth of odor-causing bacteria and mold on the mats to keep restrooms cleaner and fresher smelling
- Proprietary, full-coverage adhesive backing keeps mats in place underfoot with no shifting, curling or flipping up to stop slip and trip hazards; peels up easily
- Mats stick to your floor and won't budge while you clean them; simply mop them with the rest of the floor
- Durable, Hi-Trac™ Surface stands up to daily cleaning and foot traffic
- EFM™ Absorbent Technology captures water on contact, wicks it away and dries out quickly
- Liquidproof barrier layer stops liquid pass-through to prevent stains and grout damage
- Tested and certified by the National Floor Safety Institute (NFSI) as a high-traction surface which can reduce slip and fall claims by as much as 90% when used as part of a Floor Safety Program
- Release paper on the bottom of the mat should be removed prior to installation
- See Resources & Downloads section for product use guidance



Item#	Description	Dimensions	Weight
-------	-------------	------------	--------

GRP7006-BK

24" W x 17" L

1.93 lbs.

Metric Equivalent:

Item#	Description	Dimensions	Weight
GRP7006-BK		61cm W x 43cm L	.9 kg

Specifications

Absorbency Range	0 - 0.9 gal.
Dimensions	24" W x 17" L
Mat Weight	Mediumweight
Absorbency	Up to .27 gal. per box
Absorbency per	Up to .06 gal. per pad
Antimicrobial	Yes
Brand	PIG
Category	Grippy® Restroom Absorbent Mat
Flammability Specifications	Flame Resistant - Will melt and self-extinguish
Fluid Absorbed	Water; Urine
Indoor/Outdoor	Indoor Use
Incinerable	Yes
Industry	Commercial Facilities/Retail
Intended Use	Indoor Use on Concrete, Vinyl, Linoleum, Tile and Laminate Flooring
Traffic	Heavy Foot Traffic; Carts & Equipment
Sold as	4 pads per box
Weight	1.93 lbs.
Composition	Absorbent: Polypropylene Adhesive Backing: Proprietary Adhesive Material
UNSPSC	47131901
Pigalog® Page Number	Page 251

Metric Equivalent

Absorbency per	Up to .2 L per pad
Absorbency	Up to 1 L per box
Weight	.9 kg
Dimensions	61cm W x 43cm L

Technical Information

Certifications, Approvals and Ratings
ADA Compliant,NFSI Certified,ANSI B101.1- 2009

Technical Documents

[PIG Adhesive-Backed Mats](#)

[The Complete Slip, Trip & Fall Risk Zone Audit](#)

[New Pig Adhesive-Backed Mat Disclaimer and Warranty Info](#)

[Instructions for PIG Grippy Mat Application, Cleaning and Care Guide](#)

[Technical Data Sheet for PIG® Adhesive-Backed Grippy Mat](#)

[White Paper- The Walk Zone Safety Report](#)

[29 CFR 1910.22\(a\)\(2\)](#)

Disclaimers

[Safety Instructions Regarding Flammable Liquids for Flame Resistant Mats](#)

Pig Absorbent Mats are flame resistant in their unused state, but take on the properties of flammable liquids they absorb. Always take proper precautions against potential ignition in handling and disposal of these mats if they have absorbed flammable liquids. For further assistance, please call Technical Services.

[Color Variation Statement](#)

It is normal for top layer materials to show minor variations in color between production runs. This is particularly true for the grades of materials used in consumable or disposable products such as our adhesive-backed mats. New Pig makes every effort to achieve consistent color, but some variance is possible. Perceived differences in color may also result from mat layout orientation or uneven traffic wear patterns.

[Absorbents Notice](#)

All absorbents take on the properties of the liquids they have absorbed. When handling used absorbents, you must utilize all necessary safety precautions that are required to safely handle the liquid which has been absorbed.



One Pork Avenue • Tipton, PA 16684-0304

1-855-493-4647 • Fax: 1-800-621-7447 • newpig.com • hothogs@newpig.com