

## FEATURES & BENEFITS


### MOUNTING

Heavy Duty 3/16" (.47 cm) steel pre-drilled and threaded in-wall mounting plate along with all-thread studs and hardware

### OPTIONS

- Support Frame: Model 6800 In-wall floor mounted fixture support legs, welded steel 4-bolt floor flanges, and supplied with 'U' bolts and hardware.

For more information, visit [www.hawesco.com](http://www.hawesco.com) or call (888) 640-4297.







## SPECIFICATIONS

Model 6700 in-wall 3/16" thick steel mounting plate is larger, thicker and stronger than any other plate in the industry, and shall include the all-thread studs, nuts, and washers. For use with many Haws single bubbler fountains or 1920 series bottle fillers.

## APPLICATIONS

Haws produces mounting plates and frames to assist in the installation process as well as to provide a solid base for the wall mounted designed fountains. Mounting plates and frames meet the requirements solely for the specified applicable fountains and are not designed to be used in the installation of any unspecified fountain.



MODEL	MTG HOLES	"X" DIM
1000	"G"	25-3/8" [645mm]
1001	"G"	25-3/8" [645mm]
1025	"D"	28-1/8" [714mm]
1047	"E"	27-1/2" [699mm]
1075	"E"	28" [711mm]
1105	"H"	34-5/16" [872mm]
1109	"H"	27-5/16" [694mm]
1116	"G"	25-3/8" [645mm]
1001FR	"G"	25-3/8" [645mm]
1109FR	"H"	27-5/16" [694mm]
1075FR	"E"	28" [711mm]
1311	"E"	26-3/4" [679mm]
1107L	"F"	26-3/16" [665mm]
1311TRIMCA	"E"	26-3/4" [679mm]

## 6700 MOUNTING PLATE FOR USE WITH DRINKING FOUNTAINS (SEE SHEETS 2 - 4 FOR USE WITH BOTTLE FILLER)

\*FINISH WALL OVER MOUNTING PLATE AND BEHIND BACKPANEL. MAKE SURE THAT FINISHED WALL EXTENDS WITHIN THE BRACKET/BOWL MOUNTING HOLES (TO PROVIDE SURFACE AREA FOR RUBBER SPACERS TO CONTACT).





### CAUTION

REGARDING CONCRETE/MASONRY WALL MOUNTING: DO NOT SECURE MOUNTING PLATE TO SAME SIDE OF WALL AS FOUNTAIN. AVOID COMPROMISING INTEGRITY OF WALL WHEN ANCHORING FOUNTAIN. IT IS RECOMMENDED THAT INSTALLER CALL TECHNICAL SUPPORT IF THERE ARE ANY QUESTIONS AS TO HOW TO OBTAIN A PROPER ANCHOR IN CONCRETE/MASONRY WALLS. 1-800-766-5612



1455 KLEPPE LANE  
SPARKS, NEVADA 89431  
(775) 359-4712 FAX (775) 359-7424  
E-MAIL: HAWS@HAWS.CO.COM  
WEBSITE: WWW.HAWS.CO.COM

ECN NO.	REVISED PER	BY:	MODEL(S)	PART NUMBER
	ECN: 5550	FV		0002080016
DRAWN:	DATE:	CHK'D:		REVISION
CJL	09-03-03	DP		
APPROVED:	DATE:			
FV	05/14/20			
SCALE:	N/A	DRAWING TYPE:	INSTALLATION	SIZE: A SHEET 1 OF 4



- NOTES:**
1. WHEN INSTALLING THIS UNIT, LOCAL, STATE OR FEDERAL CODES SHOULD BE ADHERED TO.
  2. BACK PANELS (OPTIONAL) NOT SHOWN FOR CLARITY.




**6700 MOUNTING PLATE  
FOR USE WITH BOTTLE FILLER  
(SEE SHEET 1 FOR USE WITH  
DRINKING FOUNTAINS)**



1455 KLEPPE LANE  
SPARKS, NEVADA 89431  
(775) 359-4712 FAX (775) 359-7424  
E-MAIL: HAWS@HAWS.CO.COM  
WEBSITE: WWW.HAWS.CO.COM




ECN NO. REVISED PER	BY: FV	MODEL(S)	6700
DRAWN: MJ	DATE: 02/09/17	CHK'D: DP	
APPROVED: FV	DATE: 05/14/20	SCALE: N/A	DRAWING TYPE: INSTALLATION
			SIZE: A SHEET 2 OF 4

PART NUMBER  
**0002080016**  
REVISION  
**22**



USE THESE MOUNTING DIMENSIONS IF  
INSTALLING OVER HAWS FOUNTAIN  
MODEL: 1011, 1011HPS, 1011HPSMS,  
1011MS, H1011.8, H1011.8HO,  
H1011.8HPS

INSTALL THE 6700 ABOVE THE  
FOUNTAIN MOUNTING PLATE OR  
FRAME AT THE DIMENSION SHOWN  
FOR CORRECT BACKPANEL SPACING  
BACK PANELS FOR BOTTLE FILLERS  
(NOT SUPPLIED - OPTIONAL) ARE NOT  
SHOWN FOR CLARITY.



USE THESE MOUNTING DIMENSIONS IF  
INSTALLING OVER HAWS FOUNTAIN  
MODEL: 1119, 1119.14, 1119FR, H1119.8




INSTALL THE 6700 ABOVE THE  
FOUNTAIN MOUNTING PLATE OR  
FRAME AT THE DIMENSION SHOWN  
FOR CORRECT BACKPANEL SPACING  
BACK PANELS FOR BOTTLE FILLERS  
(NOT SUPPLIED - OPTIONAL) ARE NOT  
SHOWN FOR CLARITY.

6700 MOUNTING PLATE  
FOR USE WITH BOTTLE FILLER  
(SEE SHEET 1 FOR USE WITH  
DRINKING FOUNTAINS)



1455 KLEPPE LANE  
SPARKS, NEVADA 89431  
(775) 359-4712 FAX (775) 359-7424  
E-MAIL: HAWS@HAWS.CO.COM  
WEBSITE: WWW.HAWS.CO.COM

ECN NO. 5550	REVISED PER ECN: 5550	BY: FV	MODEL(S)	6700	PART NUMBER 0002080016
DRAWN: FV	DATE: 05/14/20	CHK'D: DP			REVISION 22
APPROVED: FV	DATE: 05/14/20	SCALE: 1:13	DRAWING TYPE: INSTALLATION	SIZE: A	SHEET 3 OF 4





USE THESE MOUNTING DIMENSIONS IF  
INSTALLING OVER HAWS FOUNTAIN  
MODEL: 1117L, H1117.8

INSTALL THE 6700 ABOVE THE  
FOUNTAIN MOUNTING PLATE OR  
FRAME AT THE DIMENSION SHOWN  
FOR CORRECT BACKPANEL SPACING

BACK PANELS FOR BOTTLE FILLERS  
(NOT SUPPLIED - OPTIONAL) ARE NOT  
SHOWN FOR CLARITY.

6700 MOUNTING PLATE  
FOR USE WITH BOTTLE FILLER  
(SEE SHEET 1 FOR USE WITH  
DRINKING FOUNTAINS)



USE THESE MOUNTING DIMENSIONS IF  
INSTALLING OVER HAWS FOUNTAIN  
MODEL: 1501

INSTALL THE 6700 ABOVE THE  
FOUNTAIN MOUNTING PLATE OR  
FRAME AT THE DIMENSION SHOWN  
FOR CORRECT BACKPANEL SPACING

BACK PANEL FOR BOTTLE FILLER  
(NOT SUPPLIED - OPTIONAL) IS NOT  
SHOWN FOR CLARITY.



1455 KLEPPE LANE  
SPARKS, NEVADA 89431  
(775) 359-4712 FAX (775) 359-7424  
E-MAIL: HAWS@HAWS.CO.COM  
WEBSITE: WWW.HAWS.CO.COM

ECN NO. 5550	REVISED PER ECN: 5550	BY: FV	MODEL(S)	PART NUMBER
DRAWN: FV	DATE: 05/14/20	CHK'D: DP	6700	0002080016
APPROVED: FV	DATE: 05/14/20	SCALE: 1:13	DRAWING TYPE: INSTALLATION	REVISION 22
			SIZE: A	SHEET 4 OF 4