

Overview

HP 65 Ink Cartridge, black

More than 50% of Original HP Ink Cartridges are made with recycled ocean-bound plastic.[10]

Low-cost ink, high-quality results

Take advantage of outstanding Original HP print quality with low-cost cartridges.


Designed to deliver

Original HP ink cartridges are specially designed to work with your HP printer or all-in-one.

Printing made so simple

Receive notifications when cartridges are running low for quick ordering.

Features



[6] See http://www.hp.com/go/suppliesclaims.

[7] HP Planet Partners program availability varies. For details, see http://www.hp.com/recycle. On recycled materials in cartridges, see http://www.hp.com/go/recycledcontent.

Specifications

Ink types	Pigment-based
Color(s) of printing supplies	Black
Print Technology	Ink
Supply type	Cartridges
Ink drop	22 pl
Print head nozzles	328
Print cartridge volume delivered	2 ml
Operating temperature range	15 to 32℃
Storage temperature range	-40 to 60°C
Operating humidity range	20 to 80% RH
Non-Operating Humidity Range	20 to 80% RH
Print Resolution Technologies	TIJ 2.X
Compatibility	HP DeskJet 2220 All-in-One, HP DeskJet 2255 All-in-One, HP DeskJet 3720 All-in-One, HP DeskJet 3755 All-in-One
Product count per unit	1
Case or master carton quantity	24
Quantity per pallet	3168
Cartons per pallet	132
UPC number	889894900739
Pallet barcode	(140) 30889894900730
Minimum dimensions (W \times D \times H)	114 x 36.3 x 102.9 mm
Minimum dimensions (W \times D \times H)	4.49 x 1.43 x 4.05 in
	ווו כטוד א כדוז א כדיד
Package dimensions (W x D x H)	114 x 36.3 x 102.9 mm
Package dimensions (W x D x H) Package dimensions (W x D x H)	
-	114 x 36.3 x 102.9 mm
Package dimensions (W x D x H) Case or master carton dimensions	114 x 36.3 x 102.9 mm 4.49 x 1.43 x 4.05 in
Package dimensions (W x D x H) Case or master carton dimensions (W x D x H) Case dimensions (case or master	114 x 36.3 x 102.9 mm 4.49 x 1.43 x 4.05 in 357.2 x 138.1 x 169.9 mm
Package dimensions (W x D x H) Case or master carton dimensions (W x D x H) Case dimensions (case or master carton)	114 x 36.3 x 102.9 mm 4.49 x 1.43 x 4.05 in 357.2 x 138.1 x 169.9 mm 14.06 x 5.44 x 6.69 in
Package dimensions (W x D x H) Case or master carton dimensions (W x D x H) Case dimensions (case or master carton) Pallet dimensions (W x D x H)	114 x 36.3 x 102.9 mm 4.49 x 1.43 x 4.05 in 357.2 x 138.1 x 169.9 mm 14.06 x 5.44 x 6.69 in 1219.2 x 1016 x 1168.4 mm
Package dimensions (W x D x H) Case or master carton dimensions (W x D x H) Case dimensions (case or master carton) Pallet dimensions (W x D x H) Pallet dimensions Case weight (case or master	114 x 36.3 x 102.9 mm 4.49 x 1.43 x 4.05 in 357.2 x 138.1 x 169.9 mm 14.06 x 5.44 x 6.69 in 1219.2 x 1016 x 1168.4 mm 48 x 40 x 46 in
Package dimensions (W x D x H) Case or master carton dimensions (W x D x H) Case dimensions (case or master carton) Pallet dimensions (W x D x H) Pallet dimensions Case weight (case or master carton)	114 x 36.3 x 102.9 mm 4.49 x 1.43 x 4.05 in 357.2 x 138.1 x 169.9 mm 14.06 x 5.44 x 6.69 in 1219.2 x 1016 x 1168.4 mm 48 x 40 x 46 in 1.43 kg
Package dimensions (W x D x H) Case or master carton dimensions (W x D x H) Case dimensions (case or master carton) Pallet dimensions (W x D x H) Pallet dimensions Case weight (case or master carton) Package weight	114 x 36.3 x 102.9 mm 4.49 x 1.43 x 4.05 in 357.2 x 138.1 x 169.9 mm 14.06 x 5.44 x 6.69 in 1219.2 x 1016 x 1168.4 mm 48 x 40 x 46 in 1.43 kg 0.05 kg

Pallet weight	454.5 lb
Page Yield	120
Page yield (black and white)	~120 pages
What's in the box	Ink cartridge
Manufacturer Warranty	HP's ink cartridges and printheads are warranted to be free from defects in materials and workmanship during the period of the warranty.

Additional specifications

Business Segment	Premium Home
Cartons per layer	22
Cartridge Colors	Black
Case weight (case or master carton, imperial)	3.14 lb
Compatibility 01	HP AMP 100
Compatibility 02	HP DeskJet 2622, 2624, 2635, 2636, 2640, 2652, 2655, 2680, 3720, 3722, 3752, 3755, 3758
Compatibility 03	HP ENVY 5010, 5012, 5052, 5055
Compatibility headline	HP 65 ink cartridges work with:
Count of layers in pallet	6
Country of origin	Made in Ireland, Malaysia, China, Czech Republic, Singapore
Empty weight	23.53 g
Inner pack ITF-14 unit code	(140) 10889894900736
Operating temperature range	59 to 90°F
Package count	1
Page yield (black)	1 Black (~120 pages)
Page yield footnote	Tested in HP Deskjet 3700 All-in-One Printer series. Approximate average based on ISO/IEC 24711 or HP testing methodology and continuous printing. Actual yield varies considerably based on content of printed pages and other factors. For details, see http://www.hp.com/go/learnaboutsupplies.
Print technology	HP Thermal Inkjet
Printhead swath (inch)	0.56 in
Product subgroup	Standard Capacity Ink Cartridges
Quantity per box	4
Segment (filter)	Premium Home
Selectability	65
Smaller master carton barcode	(140) 20889894900733
Stacking number for pallet	2
Storage temperature range	-40 to 140°F
Subgroup	Standard Capacity Cartridges
UNSPSC code	44103105

Warranty	HP's ink cartridges and printheads are warranted to be free from defects in materials and workmanship during the period of the warranty. This warranty pertains to the product when used in its designated HP or authorized OEM printing device. HP will, at HP's option, either refund the purchase price or replace products that prove to be defective. Visit the HP online support web site http://www.hp.com/support for a list of support phone numbers and conditions or return to your point of purchase.
Weight	0.08 lb
Weight	0.04 kg

Disclaimer — Copyright

© Copyright 2022 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Generated by Dynamic Collateral Tool – (us-en) – Nov 08, 2022 4:04 PM UTC+0000