

Plastic Dolly with Handle, for 30, 55, 95 Gallon Drums - 1613

Product Images





Short Description

- Compatible with 30-, 55- and 90-gallon drums
- Reduces the risk of accidents and spills while moving drums
- Includes a poly push handle and locking casters for easier maneuverability

Description

The Eagle Drum Dolly with Handle model 1613, also known as a drum bogie, is a heavy-duty drum transporter designed to provide a secure and efficient way to move 30-, 55-, and 90-gallon drums while protecting against incidental leaks and spills. The durable high-density (HDPE) resists corrosion and has a sump capacity of 12 gallons (45.4 liters) and a load capacity of 1,250 lbs (567 kg). It is ideal for industrial settings, warehouses, and facilities where drums need to be transported regularly.

Drum Dolly with Handle Functionality

One of the primary functions of the Eagle plastic dolly is to facilitate the safe and easy movement of drums from one location to another. Its poly push-pull handle makes operation simple. The yellow dolly is equipped with five high-quality casters that provide excellent maneuverability and stability, making it easy to move even heavy and bulky drums across flat surfaces.

The barrel dolly features a low-profile design that allows it to fit easily under most drums, enabling operators to lift and transport them without any hassle. Its rugged construction ensures that it can withstand heavy loads and repeated use, making it a reliable and durable choice for drum transportation.

The Eagle drum bogie for 55 gallon drums, model 1613, can be used in a variety of applications, including industrial manufacturing, chemical processing, oil and gas production, and more. It is particularly useful for facilities that need to move drums around frequently, such as loading docks, warehouses, and storage areas, or in restaurants to move kegs from storage to the bar area. Replacement casters for the drum bogie, model 1613C, are also available.

10/4/23

Specifications

Model No	1613
Color	Yellow
UPC	048441001026
Load Capacity, lbs	1250
Load Capacity, kgs	567
Drain	No
Sump Capacity, gallons	12
Sump Capacity, liters	45.42
Material Specifications	High-Density-Polyethylene
Dimensions, Exterior	32.75W x 46.6H
Pallet Quantity	10
Net Weight, lbs	30
Net Weight, kgs	13.61
-	

10/4/23