

Regency 18" x 17 1/2" Utility Hand Sink for 1 Wall Mounted Faucet

#600HSMS1818



Features

- Made from rugged 16 gauge type 304 stainless steel
- Punched with 1 set of 8" centers for wall mounted faucets (sold separately)
- Features an 8" deep bowl with a 1 1/2" IPS connection and 3 1/2" drain basket •
- Backsplash protects walls from spills or water damage •
- 1 5/8" tubular wall brackets and 2 stainless steel z brackets make installation a • breeze






Technical Data

Length	18 Inches
Width	17 1/2 Inches
Height	20 Inches
Bowl Depth	8 Inches
Basket Drain Size	3 1/2 Inches
Bowl Front to Back	13 3/4 Inches
Bowl Left to Right	18 Inches
Color	Silver
Drain Outlet Size	1 1/2 Inches
Faucet Centers	8 Inches

Technical Data

Gauge	16 Gauge
Installation Type	Wall Mounted
Material	Stainless Steel
Number of Compartments	1 Compartment
Number of Drainboards	None
Stainless Steel Type	Type 304
Туре	Hand Sinks

Plan View



Notes & Details

Maintain a sanitary environment in your auto garage, distribution center, or manufacturing facility by giving your employees a convenient way to quickly wash their hands with this Regency utility hand sink for one faucet! Made of rugged 16 gauge type 304 stainless steel, this sink is not only rust- and corrosion-resistant, it's extremely durable and built for everyday commercial use.

Perfect for industrial applications, the advantage of a utility sink is that it helps to maintain cleanliness in your business and prevent the spread of germs, keeping your employees healthy.

This wall mounted sink station includes 1 set of holes punched on 8" centers, with each center faucet hole measuring 1 1/4" in diameter, allowing you to add the faucet of your choosing (sold separately). Installing Regency wall mounted gooseneck faucets would be the perfect addition to this sink as the gooseneck shape provides the right amount of clearance for handwashing. Likewise, the spacious 8" deep sink bowl is designed for handwashing applications.

Designed for wall mounting, this sink includes (2) 15/8" tubular wall brackets and 2 stainless steel Z brackets. Installation is simple and the wall brackets ensure that the sink is stable and fully supported while allowing full clearance underneath. A back splash protects your walls from splashing and water damage, and a 3 1/2" drain basket keeps your drains clog-free. For safety, the outer edge of the sink bowl is curled under to eliminate any sharp edges.

WARNING: This product can expose you to chemicals including lead, which are known to the State of California to cause cancer, birth defects, or other reproductive harm. For more information, go to www.p65warnings.ca.gov.