

# Moisture & Dirt Retention Entrance Mat Sabre™ 130

## **Product Images**

















#### **Short Description**

- Drys shoes and retains debris
- Decalon® fibers provides moisture and dirt retention and is stain resistant
- Stain resistant, 100% Decalon® fibers
- 19 ounces of tufted cut-pile Decalon® per square yard
- Low profile entrance mat to perform in narrow clearance doorways
- · Vinyl backing ensures minimal buckling and mat movement

### **Description**

A step above the commodity entrance mat, Sabre™ is designed for use in light to medium foot traffic areas. Sabre's™ durable Decalon® fibers provide moisture and dirt retention at entrances, lobbies, and passageways; reducing slip hazards and floor care maintenance. A vinyl non-slip backing helps to minimize mat movement.

## **Specifications**

Model No	130
Available Colors	Brown; Burgundy; Charcoal; Hunter Green; Navy; Red/Black; Slate Blue
Overall Thickness	3/8
Roll Sizes	3'x 60'; 4'x 60'; 6'x 60'
Custom Lengths	3', 4' and 6' widths (up to 60' long)
Standard sizes	2'x 3'; 3'x 4'; 3'x 5'; 3'x 6'; 3'x 10'; 4'x 6'; 4'x 8'
Group	Entrance Matting
Environment	Indoor
Recommended Use	For placement inside entrances of schools, offices, shops
Special Remarks	Sabre™ is comparable to most competitors' "best" Olefin mat.
Surface	Rich Monochrome Colors
Edges	Vinyl borders
Edges Usage Intensity	Vinyl borders  Medium traffic
-	
Usage Intensity	Medium traffic
Usage Intensity Backing	Medium traffic  Black vinyl (DOP free)
Usage Intensity  Backing  Process	Medium traffic  Black vinyl (DOP free)  Tufting
Usage Intensity  Backing  Process  Pile Weight Oz	Medium traffic  Black vinyl (DOP free)  Tufting  19
Usage Intensity  Backing  Process  Pile Weight Oz  Weight Lbs/sqft	Medium traffic  Black vinyl (DOP free)  Tufting  19  0.65
Usage Intensity  Backing  Process  Pile Weight Oz  Weight Lbs/sqft  Fire Rating US	Medium traffic  Black vinyl (DOP free)  Tufting  19  0.65  Pass  Reach compliant (Registration, Evaluation, Authorization
Usage Intensity  Backing  Process  Pile Weight Oz  Weight Lbs/sqft  Fire Rating US  REACH Compliant	Medium traffic  Black vinyl (DOP free)  Tufting  19  0.65  Pass  Reach compliant (Registration, Evaluation, Authorization and Restriction of Chemicals).
Usage Intensity  Backing  Process  Pile Weight Oz  Weight Lbs/sqft  Fire Rating US  REACH Compliant  Dust Control Rating	Medium traffic  Black vinyl (DOP free)  Tufting  19  0.65  Pass  Reach compliant (Registration, Evaluation, Authorization and Restriction of Chemicals).  Good
Usage Intensity  Backing  Process  Pile Weight Oz  Weight Lbs/sqft  Fire Rating US  REACH Compliant  Dust Control Rating  Water Retention Rating	Medium traffic  Black vinyl (DOP free)  Tufting  19  0.65  Pass  Reach compliant (Registration, Evaluation, Authorization and Restriction of Chemicals).  Good  Good

## **Product Options**

Color:	Brown
	Burgundy
	Charcoal
	Hunter Green
	Navy
	Red/Black
	Slate Blue
Dimensions:	2' x 3'
	2ft x 3ft
	3' x 6'
	3ft x 10ft
	3ft x 4ft
	3ft x 5ft
	3ft x 60ft
	3ft x 6ft
	3ft x Specify Length
	4' X 6'
	4ft x 60ft
	4ft x 6ft
	4ft x 8ft
	4ft x Specify Length
	6' x Specify Length
	6ft x 60ft
	6ft x Specify Length

5/23/25