

WINE

i.Am

i.Am H2000 FIT

Code	Description
A1B2V3S	Refrigerated Wine Bottle Display Cabinet - I.AM USA FIT H2000 DUAL VENT



- Fit version: 21.48in. depth, overall dimensions reduced.
- 4 operating modes: Normal, Boost, Silence ed Eco.
- Sound deadening panels 2.34in. thick.
- Seamless monocoque with high insulation and thermal inertia, for maximum energy efficiency.
- Double glazed door with lock.
- Ventilated refrigeration.
- Digitally controlled.
- On-board condensation pan.
- Internal LED lighting.
- Automatic defrosting.
- Adjustable feet.

Non-contractual image, provided by way of example.

TECHNICAL DATA

		Climate Class			
°F	Operating Climate Conditions		N°	Cu. ft.	Amps
+39°F +64°F	A.T. 86°F - R.H. 55%	4	144	-	3
		Energy Efficiency Class	Sound Emission Level (1)	Annual Energy Consumption (2)	
V/Ph/Hz	HFC		dB	kWh/Year	
115V/1/60 Hz	R134A				

(1) Sound pressure level measured at 3 meters in front of the product. (2) Annual Energy Consumption as Delegated Regulation 2010/1060/UE.


DIMENSIONS AND WEIGHTS

in 			in  1			in  2			in  3			in  4			in  5			in  6		
W	D	H	W	D	H	W	D	H	W	D	H	W	D	H	W	D	H	W	D	H
32 1/4	22	77 1/2	38 1/2	29 1/2	84 3/4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	 1		 2		 3		 4		 5		 6									
Lbs	Lbs	Cu. ft.	Lbs	Cu. ft.	Lbs	Cu. ft.	Lbs	Cu. ft.	Lbs	Cu. ft.	Lbs	Cu. ft.								
265	342	-	-	-	-	-	-	-	-	-	-	-								
Total:												Lbs	Cu. ft.							
												342	-							




ENOFRIGO America Corp. – 3705 William Richardson Drive, South Bend 46628 – Indiana, USA - Tel. +1 574 2433672 - www.enofrigoamerica.com



All pictures shown are for illustration purpose only. Actual product may vary due to product enhancement.



 - Morsettierra
 1-N  - Terminal board
 115V
 60HZ
 - Spina
 - Plug



* mm / pollici
inches
pulgadas
pouces