







Servit PDW12D2C 12" Self-Service Pizza Warmer with 4-Shelf Rotating Rack and **Customizable Panels**

#423PDW12D2C

FEATURES

- Features a chrome-plated 4-shelf rotating pizza rack to hold pizzas up
- 3-sided panels are customizable for your specific branding
- Dual door design for self-serve applications
- Includes a water pan for passive humidity control to prevent dryness
- Temperature range of 86 to 194 degrees Fahrenheit; 120V, 800W

TECHNICAL DATA

Width	18 Inches
Depth	17 Inches
Height	31 Inches
Amps	6.66 Amps
Phase	1 Phase
Voltage	120 Volts
Wattage	800 Watts
Access Type	Doors
Color	Clear Silver

CERTIFICATIONS





Customizable



ETL Sanitation



ETL, US & Canada

TECHNICAL DATA

Control Type	Thermostatic
Door Type	Clear
Features	Controlled Humidity Customizable Lighted Interior Revolving Shelves
Installation Type	Countertop
Material	Chrome-Plated Metal
Number of Doors	2 Doors
Number of Shelves	4 Shelves
Pizza Size	12 Inches
Plug Type	NEMA 5-15P
Power Type	Electric
Service Type	Self Service
Temperature Range	86 - 194 Degrees F
Temperature Settings	Adjustable

Notes & Details

Keep your pizzas hot, fresh, and ready to enjoy by choosing this ServIt PDW12D2C 12" self-service pizza warmer with 4-shelf rotating rack and customizable panels. Add this unit to your pizza shop, kiosk, concession stand, or food truck to hold freshly-made pizzas and show them off to your customers. This pizza warmer offers a chrome-plated rotating rack that can hold up to (4) 12" pizzas and draws in customers with bright LED lighting and panels on three sides of the unit. These panels are customizable to showcase your specific branding.

This unit has four glass sides so customers can see your delicious pies from any angle, and the double glass doors allow for simple loading or unloading from the front or back. This makes the warmer great for self-serve applications as employees can load the warmer from one side and customers can serve themselves from the other! The interior of the cabinet features a water pan that provides passive humidity to prevent food from drying out before being served. The adjustable heat control offers a range of 86 to 194 degrees Fahrenheit. It requires a 120V electrical connection, and it has an output of 800W.

▲ **WARNING:** This product can expose you to chemicals including lead, which are known to the State of California to cause cancer, birth defects, or other reproductive harm. For more information, go to www.p65warnings.ca.gov.