



**SOLO**®  
DIGITAL CLINICAL SCALES

## DETECTO'S SOLO® SCALE STANDS ALONE IN ECONOMIC CLINICAL WEIGHING

- 550 lb x 0.2 lb / 250 kg x 0.1 kg Capacity
- Weight, Height, and Body Mass Index
- 14 in W x 15 in D x 2.5 in H Platform Size
- 6 AA Batteries (included) or  
Optional AC Adapter
- Inline Mechanical Height Rod



**UNMATCHED  
ECONOMICAL  
WEIGHING  
QUALITY**



Eye-level height display for ease of use (52 in / 132 cm H)

Inline height rod measures: 30 in to 84.5 in / 76 cm to 214.5 cm

1-inch/25-mm high LCD, clearly-visible display

Rock-solid, stable column – aluminum white powder coated

Two wheels for quick and easy portable transport

Rubber mat for patient assurance and stability

*The Name Brand Preferred  
by Clinical Professionals  
Around the World*





### Stylish Indicator

The solo® indicator features 8 simple buttons that are easily identifiable in any language.



### Battery Power

No power outlet available, no problem! The solo® comes with 6 AA batteries for weighing anywhere.



### EMR/EHR-Ready

The scale's RS-232 serial port allows you to output measurement data to EMR/EHR software.



### Body Mass Index

Simply step on the scale to weigh and the scroll arrows let you rapidly enter your height to factor BMI.



### Inline Height Rod

The mechanical height rod is situated to the side of the LCD, so it never interferes with viewing measurements.



### Wide, Flat Platform

The oversized 14 x 15 inch platform with rubber mat is only 2.4 inches high making it easy for patients to step on/off.



### AC Adapter

The AC port is located in the base, so no pesky wires dangle from up on the indicator (AC Adapter optional: model PD-AC).



### Portable, Wheels

Two integral wheels allow for ease of movement whenever you need to transport the solo®.



<b>Model</b>	solo
<b>Capacity</b>	550 lb x 0.2 lb / 250 kg x 0.1 kg
<b>Platform Size</b>	14 in W x 15 in D x 2.4 in H / 36 cm W x 38 cm D x 6 cm H
<b>Weight Units</b>	Pounds or Kilograms (selectable upon initialization at start-up; changeable through Settings menu)
<b>Power</b>	Six (6) AA size Alkaline batteries (included) OR an optional medical device 9V AC/DC wall plug-in adapter (Detecto part number PD-AC).
<b>Display</b>	Five-digit, seven-segment, 1.0-inch (25-mm) high LCD digits
<b>Operation Temperature</b>	50 to 104 °F / +10 to +40 °C
<b>Function Keys</b>	ON/OFF, PRINT, ENTER, UP ARROW, DOWN ARROW, BMI HEIGHT, LOCK/RELEASE, ZERO
<b>Annunciators</b>	ZERO, LOCK, STA, HOLD, LB, KG, CM, FT/IN, HEIGHT, WEIGHT, BMI, AM, PM
<b>Scale Dimensions</b>	14.3 in W x 19.5 in D x 52.0 in H / 36.3 cm W x 49.5 cm D x 132.1 cm H
<b>Interface</b>	RS-232 Serial Port, 9-Pin (DB-9), Baud Rate 9600
<b>Height Rod</b>	Mechanical included standard, inline
<b>Height Rod Units</b>	Inches or Centimeters
<b>Height Rod Range</b>	30 in to 84.5 in / 76 cm to 214.5 cm
<b>Manual Input Height</b>	2 ft 0.0 in – 7 ft 10.5 in by 0.5 in / 60.0 cm - 240.0 cm by 1cm
<b>Minimum Weighing</b>	11 lb / 5 kg
<b>Wheels</b>	(2) wheels for ease of movement
<b>Selectable Auto Shut-Off</b>	Up to 9 Minutes
<b>Construction</b>	Column and height rod – aluminum alloy white powder coated; indicator enclosure, height rod arm, platform and base – white ABS; mat – black PVC
<b>Product Weight</b>	17.7 lb / 7.7 kg
<b>Shipping Weight</b>	25 lb / 11.3 kg
<b>Package Dimensions</b>	30 in W x 20 in D x 11 in H / 76 cm W x 51 cm D x 28 cm H
<b>UPC Code</b>	809161197709



Detecto Scale reserves the right to improve, enhance, or modify features and specifications without prior notice.



203 E. Daugherty, Webb City, MO 64870 USA  
Ph: 417-673-4631 or 1-800-641-2008 Fax: 417-673-2153

**Mobile:** [m.detecto.com](http://m.detecto.com)

**SOLD BY:**