

Sta-Rite™ Aluminum Signpost


60" Aluminum Signpost

- Complete with two (2) brackets and required bracket hardware.
- Post black cap is included.
- Supports signs up to:
 - Aluminum 12" x 18"
 - HDPE up to 18" x 24"

Illustrated P/N Example:

S	T	R	0	-	6	0	0	F
---	---	---	---	---	---	---	---	---


1	Bollard
0	none
B	Bollard Enhanced
2,3	Height
60	60"
78	78"
02	102"
4	Panel Type
0	none
H	Handicap
S	24" Stop
V	Van Accessible, Handicap
Z	Custom
5	Base Socket Type
D	Drivable Spring Adapter (Square, No Tube included)
F	Fixed Surface Mount Spring Adapter (No Base included)
Q	Quick Release Surface Mount Spring Adapter (No Base included)



BASE OPTIONS


Surface Mount Fixed Base

P/N: BS-SMFB
Color Options: Black, White, Yellow



Drivable Base

2" - 12 Gauge Square Tube
P/N: BS-DR00



Surface Mount Quick Release Base

P/N: BS-SMQB
Color Options: Black, White, Yellow



SPECIFICATIONS

- Post is constructed of white powder coated aluminum to prevent warping and remain straight.
- Unit has a reactive spring assembly that allows the signpost to be bumped by vehicles, rebound, and return upright.

RECOMMENDED USES

- For permanent use within parking lots and parking garages.
- Asphalt, concrete, or in-ground installation
- Use where occasional bumping by vehicles can damage traditional signposts causing costly repairs or replacement.



Sta-Rite™ Aluminum Signpost


78" Aluminum Signpost

- Complete with two (2) brackets and required bracket hardware.
- Post black cap is included.
- Supports signs up to:
 - Aluminum 12" x 18"
 - HDPE up to 18" x 24"

Illustrated P/N Example:

S	T	R	0	-	7	8	0	F
---	---	---	---	---	---	---	---	---


1	Bollard
0	none
B	Bollard Enhanced
2,3	Height
60	60"
78	78"
02	102"
4	Panel Type
0	none
H	Handicap
S	24" Stop
V	Van Accessible, Handicap
Z	Custom
5	Base Socket Type
D	Drivable Spring Adapter (Square, No Tube included)
F	Fixed Surface Mount Spring Adapter (No Base included)
Q	Quick Release Surface Mount Spring Adapter (No Base included)



BASE OPTIONS


Surface Mount Fixed Base

P/N: BS-SMFB
Color Options: Black, White, Yellow



Drivable Base

2" - 12 Gauge Square Tube
P/N: BS-DR00



Surface Mount Quick Release Base

P/N: BS-SMQB
Color Options: Black, White, Yellow



SPECIFICATIONS

- Post is constructed of white powder coated aluminum to prevent warping and remain straight.
- Unit has a reactive spring assembly that allows the signpost to be bumped by vehicles, rebound, and return upright.

RECOMMENDED USES

- For permanent use within parking lots and parking garages.
- Asphalt, concrete, or in-ground installation
- Use where occasional bumping by vehicles can damage traditional signposts causing costly repairs or replacement.



Sta-Rite™ Handicap Sign


78" Aluminum Post with 12" x 18" Handicap Sign

- Complete with two (2) brackets and required bracket hardware.
- Post black cap is included.
- Three (3) post heights available to comply with most ADA requirements. Refer to your local guidelines for details.

Illustrated P/N Example:

S	T	R	0	-	7	8	H	F
---	---	---	---	---	---	---	---	---


1	Bollard
0	none
B	Bollard Enhanced
2,3	Height
60	60"
78	78"
02	102"
4	Panel Type
0	none
H	Handicap
S	24" Stop
V	Van Accessible, Handicap
Z	Custom
5	Base Socket Type
D	Drivable Spring Adapter (Square, No Tube included)
F	Fixed Surface Mount Spring Adapter (No Base included)
Q	Quick Release Surface Mount Spring Adapter (No Base included)



BASE OPTIONS


Surface Mount Fixed Base

P/N: BS-SMFB
Color Options: Black, White, Yellow



Drivable Base

2" - 12 Gauge Square Tube
P/N: BS-DR00



Surface Mount Quick Release Base

P/N: BS-SMQB
Color Options: Black, White, Yellow



SPECIFICATIONS

- Post is constructed of white powder coated aluminum to prevent warping and remain straight.
- Panel is assembled using white engineer grade reflective sheeting, with blue and green ink.
- Unit has a reactive spring assembly that allows the signpost to be bumped by vehicles, rebound, and return upright.

RECOMMENDED USES

- For permanent use within parking lots and parking garages.
- Asphalt, concrete, or in-ground installation
- Use where occasional bumping by vehicles can damage traditional signposts causing costly repairs or replacement
- Sign is available with "Van Accessible" legend.



Sta-Rite™ Bollard Enhanced Signpost


78" Bollard Enhanced Aluminum Signpost

- Complete with two (2) brackets and required bracket hardware.
- Post black cap is included.
- Supports signs up to:
 - Aluminum 12" x 18"
 - HDPE up to 18" x 24"
- Post ships in two pieces with mating hardware included.

Illustrated P/N
Example:


			1	2	3	4	5	
S	T	R	B	-	7	8	0	F

1	Bollard
0	none
B	Bollard Enhanced
2,3	Height
60	60"
78	78"
02	102"
4	Panel Type
0	none
H	Handicap
S	24" Stop
V	Van Accessible, Handicap
Z	Custom
5	Base Socket Type
D	Drivable Spring Adapter (Square, No Tube included)
F	Fixed Surface Mount Spring Adapter (No Base included)
Q	Quick Release Surface Mount Spring Adapter (No Base included)



Surface Mount Fixed Base


P/N: BS-SMFB
Color Options: Black, White, Yellow



BASE OPTIONS


Drivable Base

2" - 12 Gauge Square Tube
P/N: BS-DR00



Surface Mount Quick Release Base

P/N: BS-SMQB
Color Options: Black, White, Yellow



SPECIFICATIONS

- Post is constructed of white powder coated aluminum to prevent warping and remain straight.
- Outer yellow bollard is a durable plastic which simulates a formidable concrete barrier for added conspicuity. Prevents bumper damage to metal post.
- Unit has a reactive spring assembly that allows the signpost to be bumped by vehicles, rebound, and return upright.

RECOMMENDED USES

- Where pedestrian traffic is expected
- Asphalt, concrete, or in-ground installation
- Use where occasional bumping by vehicles can damage traditional signposts causing costly repairs or replacement.




Sta-Rite™ Bollard Enhanced Handicap Sign

78" Aluminum Signpost with Handicap Sign

- Complete with two (2) brackets and required bracket hardware.
- Post black cap is included.
- Supports signs up to:
 - Aluminum 12" x 18"
 - HDPE up to 18" x 24"
- Three (3) post heights available to comply with most ADA requirements. Refer to your local guidelines for details.

Illustrated P/N	S	T	R	B	-	7	8	H	F
Example:									
1 Bollard									
0	none								
B	Bollard Enhanced								
2,3 Height									
60	60"								
78	78"								
02	102"								
4 Panel Type									
0	none								
H	Handicap								
S	24" Stop								
V	Van Accessible, Handicap								
Z	Custom								
5 Base Socket Type									
D	Drivable Spring Adapter (Square, No Tube included)								
F	Fixed Surface Mount Spring Adapter (No Base included)								
Q	Quick Release Surface Mount Spring Adapter (No Base included)								



Surface Mount Fixed Base


P/N: BS-SMFB
Color Options: Black, White, Yellow



BASE OPTIONS


Drivable Base

2" - 12 Gauge Square Tube
P/N: BS-DR00



Surface Mount Quick Release Base

P/N: BS-SMQB
Color Options: Black, White, Yellow



SPECIFICATIONS

- Post is constructed of white powder coated aluminum to prevent warping and remain straight.
- Panel is assembled using white engineer grade reflective sheeting, with blue and green ink.
- Outer yellow bollard is a durable plastic which simulates a formidable concrete barrier for added conspicuity. Prevents bumper damage to metal post.
- Unit has a reactive spring assembly that allows the signpost to be bumped by vehicles, rebound, and return upright.

RECOMMENDED USES

- ADA specific parking lot signs
- Asphalt, concrete, or in-ground installation
- Use where occasional bumping by vehicles can damage traditional signposts causing costly repairs or replacement.
- Sign is available with "Van Accessible" legend.



Sta-Rite™ Bollard Enhanced Signpost


102" Bollard Enhanced Aluminum Signpost

- Complete with two (2) brackets and required bracket hardware.
- Post black cap is included.
- Supports signs up to:
 - Aluminum 12" x 18"
 - HDPE up to 18" x 24"
- Post ships in two pieces with mating hardware included.

Illustrated P/N
Example:


1 2 3 4 5
S T R B - 0 2 0 F

1	Bollard
0	none
B	Bollard Enhanced
2,3	Height
60	60"
78	78"
02	102"
4	Panel Type
0	none
H	Handicap
S	24" Stop
V	Van Accessible, Handicap
Z	Custom
5	Base Socket Type
D	Drivable Spring Adapter (Square, No Tube included)
F	Fixed Surface Mount Spring Adapter (No Base included)
Q	Quick Release Surface Mount Spring Adapter (No Base included)



Surface Mount Fixed Base


P/N: BS-SMFB
Color Options: Black, White, Yellow



BASE OPTIONS


Drivable Base

2" - 12 Gauge Square Tube
P/N: BS-DR00



Surface Mount Quick Release Base

P/N: BS-SMQB
Color Options: Black, White, Yellow



SPECIFICATIONS

- Post is constructed of white powder coated aluminum to prevent warping and remain straight.
- Outer yellow bollard is a durable plastic which simulates a formidable concrete barrier for added conspicuity. Prevents bumper damage to metal post.
- Unit has a reactive spring assembly that allows the signpost to be bumped by vehicles, rebound, and return upright.

RECOMMENDED USES

- Where pedestrian traffic is expected
- Asphalt, concrete, or in-ground installation
- Use where occasional bumping by vehicles can damage traditional signposts causing costly repairs or replacement.




Sta-Rite™ Bollard Enhanced Handicap Sign

102" Aluminum Signpost with Handicap Sign


- Complete with two (2) brackets and required bracket hardware.
- Post black cap is included.
- Supports signs up to:
 - Aluminum 12" x 18"
 - HDPE up to 18" x 24"
- Post ships in two pieces with mating hardware included.

Illustrated P/N	S	T	R	B	-	0	2	H	F
Example:									
1 Bollard									
0	none								
B	Bollard Enhanced								
2,3 Height									
60	60"								
78	78"								
02	102"								
4 Panel Type									
0	none								
H	Handicap								
S	24" Stop								
V	Van Accessible, Handicap								
Z	Custom								
5 Base Socket Type									
D	Drivable Spring Adapter (Square, No Tube included)								
F	Fixed Surface Mount Spring Adapter (No Base included)								
Q	Quick Release Surface Mount Spring Adapter (No Base included)								



Surface Mount Fixed Base


P/N: BS-SMFB
Color Options: Black, White, Yellow



BASE OPTIONS


Drivable Base

2" - 12 Gauge Square Tube
P/N: BS-DR00



Surface Mount Quick Release Base

P/N: BS-SMQB
Color Options: Black, White, Yellow



SPECIFICATIONS

- Post is constructed of white powder coated aluminum to prevent warping and remain straight.
- Panel is assembled using white engineer grade reflective sheeting, with blue and green ink.
- Outer yellow bollard is a durable plastic which simulates a formidable concrete barrier for added conspicuity. Prevents bumper damage to metal post.
- Unit has a reactive spring assembly that allows the signpost to be bumped by vehicles, rebound, and return upright.

RECOMMENDED USES

- Three (3) post heights available to comply with most ADA requirements. Refer to your local guidelines for details.
- Asphalt, concrete, or in-ground installation
- Use where occasional bumping by vehicles can damage traditional signposts causing costly repairs or replacement.
- Sign is available with "Van Accessible" legend.

