



HP 902 Magenta Original Ink Cartridge (T6L90AN)



Overview

HP 902 Ink Cartridge, magenta

More than 50% of Original HP Ink Cartridges are made with recycled ocean-bound plastic.[10]

Consistent business printing you can count on

Represent your business best with Original HP pigment inks designed for consistent, professional results.

Stay productive, manage costs

Print affordably with individual cartridges. Simply replace each cartridge separately, as needed.

Impressive results that last

Print professional-quality business documents with vibrant color, using pigment inks designed for the office.

Easy, convenient printing, start to finish

Easily recycle your Original HP cartridges at no charge through HP Planet Partners.[4]

Features



Depend on HP Ink for precise output



Designed with the planet in mind^[1]



Meets eco-label emission criteria^[2]^[2]



Engineered for security^[3]

[1] Based on cartridge yields for HP 902XL ink cartridges compared with HP 902A standard ink cartridges. For more information, see <http://www.hp.com/go/learnaboutsupplies>.

[2] Based on cartridge yields for HP 906XL ink cartridges compared with HP 902 standard ink cartridges. For more information, see <http://www.hp.com/go/learnaboutsupplies>.

[3] Based on internal HP testing of Original HP pigment inks on ColorLok® papers.

[4] HP Planet Partners Program availability varies. See <http://hp.com/hprecycle>.

[1] Program availability varies. See <http://hp.com/hprecycle>.

[2] An HP printing system consists of HP printer, paper and Original HP supply. Blue Angel DE-UZ 219 emissions criteria or earlier versions of criteria applicable when printing system launched.

[3] HP office-class printing systems are select Enterprise and Managed devices with FutureSmart firmware 4.5 and up, Pro devices, LaserJet models 200 and up, with respective Original HP Toner, PageWide and Ink Cartridges. Does not include HP integrated printhead cartridges. Digital supply-chain tracking, hardware, chips, and packaging security features vary locally by SKU. See <http://hp.com/cartridgesecurity>.

Specifications

Ink types	Pigment-based
Color(s) of printing supplies	Magenta
Print Technology	Ink
Supply type	Cartridges
Ink drop	8.6 pl
Print head nozzles	672
Print cartridge volume delivered	4 ml
Operating temperature range	15 to 35°C
Storage temperature range	5 to 45°C
Operating humidity range	20 to 80% RH
Non-Operating Humidity Range	20 to 80% RH
Print Resolution Technologies	TIJ 4.X
Compatibility	HP OfficeJet 6950 All-in-One, HP OfficeJet Pro 6960 All-in-One, HP OfficeJet Pro 6970 All-in-One
Product count per unit	1
Case or master carton quantity	24
Quantity per pallet	4224
Cartons per pallet	165
UPC number	889894982766
Pallet barcode	(140) 50889894982761
Minimum dimensions (W x D x H)	114.8 x 23.9 x 100.1 mm
Minimum dimensions (W x D x H)	4.52 x 0.94 x 3.94 in
Package dimensions (W x D x H)	114.8 x 23.9 x 100.1 mm
Package dimensions (W x D x H)	4.52 x 0.94 x 3.94 in
Case or master carton dimensions (W x D x H)	252 x 249.9 x 108 mm
Case dimensions (case or master carton)	9.92 x 9.84 x 4.25 in
Pallet dimensions (W x D x H)	1016 x 1219.2 x 1333.5 mm
Pallet dimensions	40 x 48 x 52.5 in
Case weight (case or master carton)	1.21 kg
Package weight	0.04 kg
Package weight	0.09 lb
Pallet weight	230.7 kg

Pallet weight	508.2 lb
----------------------	----------

Page Yield	315
-------------------	-----

What's in the box	Ink cartridge
--------------------------	---------------

Manufacturer Warranty	HP's ink cartridges and printheads are warranted to be free from defects in materials and workmanship during the period of the warranty.
------------------------------	--

Additional specifications

Business Segment	OfficeJet Pro
Cartons per layer	16
Cartridge Colors	Magenta
Case weight (case or master carton, imperial)	2.66 lb
Compatibility 01	HP OfficeJet 6954, 6958
Compatibility 02	HP OfficeJet Pro 6975, 6978
Compatibility headline	HP 902 ink cartridges work with:
Count of layers in pallet	11
Country of origin	Made in China; Malaysia
Empty weight	17.77 g
Inner pack ITF-14 unit code	(140) 10889894982763
Operating temperature range	59 to 95°F
Package count	1
Page yield (color)	~315 pages
Page yield (magenta)	1 Magenta (~315 pages)
Page yield footnote	Tested in HP OfficeJet Pro 6860 Printer Series. Average continuous composite (cyan/magenta/yellow) yield based on ISO/IEC 24711 or HP testing methodology and continuous printing. Actual yield varies considerably based on content of printed pages and other factors. For details, see http://www.hp.com/go/learnaboutsupplies .
Photo (product photo, jpg, 190x170)	Ink Toner Paper Printer Supplies/hp-901-officejet-ink-cartridges_190x170.jpg
Photo (product photo, jpg, 70x100)	Ink Toner Paper Printer Supplies/hp-901-officejet-ink-cartridges_70x100.jpg
Print technology	HP Thermal Inkjet
Product subgroup	Standard Capacity Ink Cartridges
Quantity per box	4
Segment (filter)	OfficeJet Pro
Selectability	902
Smaller master carton barcode	(140) 40889894982764
Stacking number for pallet	2
Storage temperature range	41 to 113°F
Subgroup	Standard Capacity Cartridges
UNSPSC code	44103105

Warranty	HP's ink cartridges and printheads are warranted to be free from defects in materials and workmanship during the period of the warranty. This warranty pertains to the product when used in its designated HP or authorized OEM printing device. HP will, at HP's option, either refund the purchase price or replace products that prove to be defective. Visit the HP online support web site http://www.hp.com/support for a list of support phone numbers and conditions or return to your point of purchase.
Weight	0.05 lb
Weight	0.02 kg

Disclaimer — Copyright

© Copyright 2022 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Generated by Dynamic Collateral Tool – (us-en) – Nov 08, 2022 7:59 PM UTC+0000