

For an affordable LED upgrade, switch to TCP's Pro Line LED Lamps. Pro Line LEDs are available in multiple options from A-Lamps, to BR30 and PAR38 lamps. See how you can maximize savings and minimize maintenance costs with Pro Line LED Lamps.

#### Reasons to choose the Pro Line from TCP

- Long life: 15,000 hours minimizes replacement and maintenance costs
- Inexpensive alternative for cost-sensitive projects
- ANSI Construction Compliant to fit most general applications
- UL approved for damp location means lamps can be used outdoors when protected from the elements. (All PAR lamps are suitable for wet locations.)

## **Ideal Applications**

- Commercial
- Retail

- Industrial
- Residential

### **Specifications:**

Input Line Voltage	120 VAC
Input Line Frequency	50/60HZ
Lamp Life (Rated)	15,000 hours
Minimum Starting Temp	22°F/-30°C
Maximum Operating Temp	104°F/40°C

CRI	80
Warranty	3 Years

<sup>\*</sup>All A-Lamps, Deco, and R/BR Floods are approved for use in Enclosed

<sup>\*</sup>PARs are not recommended for use in Enclosed Luminaires





#### Specifications:











PAR38	
90W equivalent	

INCAND. WATTS WARRANTY MOL (inches) DIA (inches DESCRIPTION **LUMENS FINISH HOURS** LED All Glass A-LAMP • 15,000 Hour 4.5W A19 • Dimmable LFF40A19D1527K 3 LED 40W EQ GLASS A19 DIM 27K FR 45 40 80 425 944 2700K FROST 15.000 4.2 2.4 E26 LED 40W EQ GLASS A19 DIM 27K CL 3 IFC40A19D1527K 4.5 40 80 425 944 2700K CIFAR 1.5 000 42 24 F26 5W A19 • Non-Dimmable LFF40A19N1527K LED 40W EQ GLASS A19 ND 27K FR 40 80 425 85.0 2700K Frosted 15,000 4.2 2.4 E26 3 LFF40A19N1550K LED 40W EQ GLASS A19 ND 50K FR 5 40 80 425 85.0 5000K 15,000 4.2 2.4 E26 3 Frosted IFD 40W EQ GLASS A19 ND 27K CL IFC40A19N1527K 425 3 5 40 80 8.5 0 2700K Clear 1.5 000 42 24 F26 LED 40W EQ GLASS A19 ND 50K CL IFC40A19N1.5.50K 5 40 80 425 85.0 5000K Clear 1.5 000 4.2 24 F26 3 8W A19 • Dimmable LFF60A19D1550K LED 60W EQ GLASS A19 DIM 50K 8 80 725 90.6 5000K 15,000 4.2 2.4 E26 3 60 Frosted 8W A19 • Non-Dimmable LFC60A19N1527K LED 60W EQ GLASS A19 ND 27K CL 60 80 725 90.6 2700K 15.000 4.2 2.4 E26 3 Clear LFC60A19N1550K LED 60W EQ GLASS A19 ND 50K CL 8 60 80 725 90.6 1.5,000 42 24 F26 3 5000K Clear LED All Glass Decorative 40W Equivalent • Dimmable • 15,000 Hour LED 4W G25 DIM 27K FR Pro FG25D40V27W 40 80 350 87.5 2700K Frosted 15,000 4.5 3.2 F26 3 LED A-LAMP • 15,000 Hour 9W A19 • Dimmable L60A19D15V27K LED 9W A19 DIM 2700K Pro Line 9 80 800 88.9 15.000 4.3 2.4 E26 3 60 2700K Frosted 9W A19 • Non-Dimmable 160A19N15V27K IFD 9W A19 ND 2700K Pro line 9 800 3 60 80 88.9 2700K Frosted 15.000 4.3 2.4 F26 15W A19 • Dimmable L100A19D15V27K LED 15W A19 DIM 2700K Pro Line 3 1.5 100 80 1.500 100.0 2700K Frosted 1.5 000 4.5 26 F26 14W A19 • Non-Dimmable L100A19N15V27K LED 14W A19 ND 2700K Pro Line 100 80 1500 107.1 2700K Frosted 15,000 4.5 2.6 E26 3 LED BR • Dimmable • 15,000 Hour LED 7W R20 DIM 2700K Pro Line 7.5 500 3.8 2.5 E26 3 L50R20D15V27K 50 80 66.7 2700K Frosted 15 000 LED 9W BR30 DIM 2700K Pro Line 9 3 165BR30D15V27K 6.5 80 66.5 73 9 2700K 1.5 000 48 37 F26 Frosted 3 L75BR40D15V27K LED 14W BR40 DIM 2700K Pro Line 75 7.3 14 80 1065 76.1 2700K Frosted 15,000 5.6 F26 LED PAR\* • Dimmable • 15,000 Hour L50P20D15V30KFL LED 7W P20 DIM 30KFL Pro Line 50 80 525 75 3000K 15,000 3.4 2.3 E26 3 Frosted L75P30D15V30KFL LED 10W P30 DIM 30KFL Pro Line 9 75 80 720 80 3000K Frosted 15,000 48 F26 3 LED 13W P38 DIM 30KFL Pro Line 90 80 1100 15,000 3 190P38D15V30KFL 13 84.6 3000K Frosted 5.3 4.8 F26





<sup>\*</sup> ALL PAR LAMPS HAVE A 40° BEAM ANGLE AND ARE SUITABLE FOR WET LOCATIONS.

# TECHNOLOGY CAST IN A BEAUTIFUL LIGHT

For over 20 years, TCP has been designing, developing and delivering energy-efficient lighting into the market. Thanks to our cutting-edge technology and manufacturing expertise, we have shipped billions of high quality lighting products. With TCP, you can count on a lighting product that is designed to meet the needs of the market - that transforms your surroundings and envelopes you in warmth - lighting that generates beauty with every flip of the switch.

Sales:	Catalog Number:
Date:	Туре:
Model:	Notes:
Project:	MTCD.
Rep:	TCP we know light.™