

297152Q



Aluminium Telescopic Handle, waterfed w/Q coupling, 41.7 - 63", Ø1.3, Black



Professional telescopic waterfed handle with insulating sleeve for a comfortable

grip with quick release hose connector. This handle can be used up to a pressure of 6 bar.

Technical Data

Item Number	297152Q
Material	Anodised Aluminium Polypropylene Chromium-plated brass
Meets the REACH Regulation (EC) No. 1907/2006	Yes **
California Proposition 65 Compliant	No
SCIP number	e49c50b5-7653-429c-b8f3-803d37b5fefc
Use of phthalates and bisphenol A	No
Is Halal and Kosher compliant	Yes
Box Quantity	5 Pcs.
Quantity per Pallet (80 x 120 x 180-200 cm)	580 Pcs.
Quantity Per Layer (Pallet)	25 Pcs.
Product diameter	1.3 "
Length	41.7 "
Width	1.3 "
Height	1.3 "
Max. Length	63 "
Net Weight	1.3889 lbs
Weight cardboard (Recycling symbol "20" PAP)	0.13 lbs
Tare Total	0.13 lbs
Gross Weight	1.5212 lbs
Cubic Feet	0.0383 ft3
Max. bars pressure	6 Bar
Max usage temperature (non food contact)	122 °F
Min. pH-value in usage concentration	4 pH
Max. pH-value in Usage Concentration	11 pH
GTIN-13 Number	5705022971028
GTIN-14 Number (Box quantity)	15705022971025
Customs Tariff No.	76169990
Country of Origin	Denmark

** Lead (Pb, CAS: 7439-92-1) is on the REACH candidate list as a Substance of Very High Concern (SVHC). This product contains lead (Pb) in a concentration above 0.1% w/w. Consequently the REACH Regulation (EC) No. 1907/2006 require Vikan to notify our customers of the content of lead. This product is registered in the EU SCIP database. Please find SCIP number above.