Nilfisk VP600 is the efficient and advanced choice ensuring cost-effective cleaning of applications such as hotels, contract cleaning, restaurants, offices and institutions.

VP600 offers a wide range of features to choose from and you can find exactly the variant that fits your specific cleaning job. Choose the cord solution that suits you and helps you reduce cleaning time and improve the cleaning process. Great user benefits and clever design offers you what you'd expect from a Nilfisk vacuum cleaner.

The modular design not only allows flexibility to choose exactly what you need but it also makes the vacuum cleaner easy to maintain and service for years to come. When a cord is worn out or damaged, it can easily be replaced by a new cord module in no time, providing you with a machine that need never be out of service.

- Dual speed function for optimized power consumption and cleaning performance
- HEPA exhaust filter as standard
- New magnetic closing of dust compartment securing high reliability and ease of use
- · Available with standard cord, detachable cord or cord rewind
- · Best in class sound quality



Picture shown may not represent model quoted

Standard equipmen

	Included accessories	Ref. no.	Min. required	VP600 STD2 US/CAN
Hose and Connection				
0	HOSE COMPLETE BLACK VP300	1470765500	0	•
Hard Floor No	ozzle			
47	HARDFLOOR NOZZLE 350MM KIT	107413080	0	
Nozzle - Vacuum				
	NE10 NOZZLE	107413075	0	•
Sack Filter	Sack Filter			
	SACK FILTER BASIC	107413056	0	•
Brush				
	DUSTING BRUSH NOZZLE - 32MM	1408244500	0	•
Accessory				
	CONE CREVICE D32 6IN	1470146500	0	•



	Included accessories	Ref. no.	Min. required	VP600 STD2 US/CAN
Other				
	POWER CORD DETACHABLE US/CAN	107413073	0	•

Model	VP600 STD2 US/ CAN
Ref. no.	107412042
PRODUCT FEATURES	
Detachable cord	•
Sack filter	
Dust bag 1 pcs.	•
Dual power	•
Hepa filtration	•
Cable rewind	
Hose and cable holder	
Ergonomic handle	•
Two speed	
H13 Exhaust filter	
Technical specifications	VP600 STD2 US/ CAN
Sound power level dB(A) IEC/EN 60335-2-69	66/71
Voltage/frequency (V/Hz)	120/50-60
IP protection class	II / IP20
Rated power (W)	
Suction power end of tube (W)	75/175
Airflow (I/sec.)	
Vacuum at nozzle (kPa)	15/22
Sound pressure level dB(A) IEC/EN 60335-2-69	
Sound pressure level (dB(A) BS 5415)	47/54
Cable length (m)	10
Dust bag capacity (I)	10
Main filter area (cm²)	2400
Sack filter area (cm²)	800
Exhaust filter type	HEPA H13
Number of filters	2
Length x width x height (mm)	
Weight (kg)	7



 \bullet Standard equipment, $^{\bigcirc}$ Supplementary accessories, $^{\square}$ Mountable equipment

	Accessories	Ref. no.	Min. required	VP600 STD2 US/CAN
Brush				
	DUSTING BRUSH NOZZLE - 32MM	1408244500	0	•
HEPA Filter				
	HEPA FILTER VACRIDE 3400	1471250600	0	0
Dust Bag and	Filter			
8	DUSTBAG VP600 FLEECE 10	107413076	0	0
0	DUSTBAG VP600 PAPER 10 PIECES	107413077	0	0
	HEPA FILTER H14 CPL	107409854	0	
Accessory		'		
	CONE CREVICE D32 6IN	1470146500	0	•
Hose and Co	nnection			
9	HOSE COMPLETE BLACK VP300	1470765500	0	•
Sack Filter				
	SACK FILTER BASIC	107413056	0	•
Other				
	POWER CORD DETACHABLE US/CAN	107413073	0	•
Hard Floor No	ozzle			
47	HARDFLOOR NOZZLE 350MM KIT	107413080	0	0
4	HARDFLOOR NOZZLE 495MM KIT	107413081	0	0



Accessories		Ref. no.	Min. required	VP600 STD2 US/CAN
	NE10 NOZZLE	107413075	0	•
Hose Vacuum Cleaner				
O	ANTI STATIC HOSE CANISTER	107415116	0	

