



## Waterloo 1.2 GPM Deck-Mount Single Inlet Faucet with 6" Gooseneck Spout and Single Temperature Lever Handle

#750CFD16GST

Item #: 750CFD16GST Qty: \_\_\_\_\_

Project: \_\_\_\_\_


Approval: \_\_\_\_\_ Date: \_\_\_\_\_



### Features

- 6" long gooseneck spout with 1.2 GPM aerator
- Deck-mounted single base and 1/2" NPS inlet
- Temperature rating of 40-180 degrees Fahrenheit
- Heavy-duty chrome-plated brass construction
- Leak-resistant quarter-turn ceramic cartridge with check valve

### Certifications



CSA, US and Canada



NSF Certified



1/2" Water Connection


### Technical Data

Spout Length	6 Inches
Faucet Height	12 Inches
Cartridge Type	Ceramic
Faucet Centers	Single
Features	NSF Certified
Finish	Chrome
Flow Rate	1.2 GPM
Handle Type	Lever
Included	Flex Inlets
Material	Brass

## Technical Data

Mounting Style	Deck Mounted
Mounting Type	Adjustable
Rough In	Single
Spout Clearance	8 5/16 Inches
Spout Connection Size	1"-20 UNEF
Spout Type	Gooseneck
Sprayer	Without Sprayer
Temperature Rating	40 - 180 Degrees F
Thread Type	NPS
Type	Faucets
Water Inlet Size	1/2 Inches

## Plan View



## Notes & Details

This Waterloo deck-mounted faucet is the perfect solution when you need a dependable water fixture in your facility! Waterloo faucets provide the industry-leading quality you expect. With heavy-duty chrome-plated brass faucet bodies, ceramic cartridges engineered for durability, and certifications from a wide range of national and local regulatory agencies, you can install this model with confidence.

This faucet features a 6" long swivel gooseneck spout that provides a sleek look with plenty of clearance, while a 1.2 GPM aerator provides a consistent flow rate and minimal splashing. It boasts a single base, while the deck-mounted design is easy to install with a 1/2" NPS inlet.

This faucet uses a quarter-turn ceramic cartridge, which provides a much lower fail rate than the compression cartridges widely used in the industry. In this design, 2 ceramic discs fit together to create a watertight seal when closed. This removes the need for a rubber seat washer, which is one of the most frequently replaced parts on a faucet. The sturdy lever handle design makes it easy to turn the water flow off and on.

**⚠ WARNING:** This product can expose you to chemicals including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, go to [www.p65warnings.ca.gov](http://www.p65warnings.ca.gov).